



PERRY JOHNSON LABORATORY ACCREDITATION, INC.

Certificate of Accreditation

Perry Johnson Laboratory Accreditation, Inc. has assessed the Laboratory of:

Torrent Laboratory, Inc
483 Sinclair Frontage Road, Milpitas, CA 95035

(Hereinafter called the Organization) and hereby declares that Organization has met the requirements of ISO/IEC 17025:2017) General Requirements for the competence of Testing and Calibration Laboratories and the U.S. Department of Energy (DOE) Consolidated Audit Program (DOECAP) requirements identified within the DoD/DOE Quality Systems Manual (DoD/DOE QSM) Version 5.4 October 2021 and is accredited in accordance with the:

United States Department of Energy Consolidated Audit Program-Accreditation Program (DOECAP-AP)

This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (as outlined by the joint ISO-ILAC-IAF Communiqué dated April 2017):

Environmental Testing ***(As detailed in the supplement)***

Accreditation claims for such testing and/or calibration services shall only be made from addresses referenced within this certificate. This Accreditation is granted subject to the system rules governing the Accreditation referred to above, and the Organization hereby covenants with the Accreditation body's duty to observe and comply with the said rules.

For PJLA:

Tracy Szerszen
President

Initial Accreditation Date:

February 1, 2022

Issue Date:

December 12, 2022

Expiration Date:

December 31, 2024

Accreditation No.:

78607

Certificate No.:

L22-840

Perry Johnson Laboratory
Accreditation, Inc. (PJLA)
755 W. Big Beaver, Suite 1325
Troy, Michigan 48084

The validity of this certificate is maintained through ongoing assessments based on a continuous accreditation cycle. The validity of this certificate should be confirmed through the PJLA website: www.pjilabs.com



Certificate of Accreditation: Supplement

Torrent Laboratory, Inc

483 Sinclair Frontage Road, Milpitas, CA 95035
Contact Name: Mukesh Jani Phone: 408-263-5258

Accreditation is granted to the facility to perform the following testing:

Matrix	Standard/Method	Technology	Analyte
Air	ASTM-D1946	GC-TCD	Carbon Dioxide
Air	ASTM-D1946	GC-TCD	Carbon Monoxide
Air	ASTM-D1946	GC-TCD	Ethane
Air	ASTM-D1946	GC-TCD	Ethene
Air	ASTM-D1946	GC-TCD	Helium
Air	ASTM-D1946	GC-TCD	Hydrogen
Air	ASTM-D1946	GC-TCD	Methane
Air	ASTM-D1946	GC-TCD	Nitrogen
Air	ASTM-D1946	GC-TCD	Oxygen
Air	TO-10A(M)	GC-ECD	4,4-DDD
Air	TO-10A(M)	GC-ECD	4,4-DDE
Air	TO-10A(M)	GC-ECD	4,4-DDT
Air	TO-10A(M)	GC-ECD	Aldrin
Air	TO-10A(M)	GC-ECD	alpha-BHC
Air	TO-10A(M)	GC-ECD	alpha-Chlordane
Air	TO-10A(M)	GC-ECD	Aroclor 1016
Air	TO-10A(M)	GC-ECD	Aroclor 1221
Air	TO-10A(M)	GC-ECD	Aroclor 1232
Air	TO-10A(M)	GC-ECD	Aroclor 1242
Air	TO-10A(M)	GC-ECD	Aroclor 1248
Air	TO-10A(M)	GC-ECD	Aroclor 1254
Air	TO-10A(M)	GC-ECD	Aroclor 1260
Air	TO-10A(M)	GC-ECD	beta-BHC
Air	TO-10A(M)	GC-ECD	DCPB
Air	TO-10A(M)	GC-ECD	delta-BHC
Air	TO-10A(M)	GC-ECD	Dieldrin
Air	TO-10A(M)	GC-ECD	Endosulfan I
Air	TO-10A(M)	GC-ECD	Endosulfan II
Air	TO-10A(M)	GC-ECD	endosulfan Sulfate
Air	TO-10A(M)	GC-ECD	Endrin
Air	TO-10A(M)	GC-ECD	Endrin Aldehyde
Air	TO-10A(M)	GC-ECD	Endrin Ketone
Air	TO-10A(M)	GC-ECD	gamma-BHC
Air	TO-10A(M)	GC-ECD	gamma-Chlordane
Air	TO-10A(M)	GC-ECD	Heptachlor
Air	TO-10A(M)	GC-ECD	Heptachlor Epoxide



Certificate of Accreditation: Supplement

Torrent Laboratory, Inc

483 Sinclair Frontage Road, Milpitas, CA 95035
Contact Name: Mukesh Jani Phone: 408-263-5258

Accreditation is granted to the facility to perform the following testing:

Matrix	Standard/Method	Technology	Analyte
Air	TO-10A(M)	GC-ECD	Methoxychlor
Air	TO-10A(M)	GC-ECD	TCMX
Air	TO-13A(M)	GCMS	1-Methylnaphthalene
Air	TO-13A(M)	GCMS	2-Methylnaphthalene
Air	TO-13A(M)	GCMS	Acenaphthene
Air	TO-13A(M)	GCMS	Acenaphthylene
Air	TO-13A(M)	GCMS	Anthracene
Air	TO-13A(M)	GCMS	Benz[a]anthracene
Air	TO-13A(M)	GCMS	Benzo[a]pyrene
Air	TO-13A(M)	GCMS	Benzo[b]fluoranthene
Air	TO-13A(M)	GCMS	Benzo[g,h,i]perylene
Air	TO-13A(M)	GCMS	Benzo[k]fluoranthene
Air	TO-13A(M)	GCMS	Chrysene
Air	TO-13A(M)	GCMS	Dibenz[a,h]anthracene
Air	TO-13A(M)	GCMS	Fluoranthene
Air	TO-13A(M)	GCMS	Fluorene
Air	TO-13A(M)	GCMS	Indeno[1,2,3-cd]pyrene
Air	TO-13A(M)	GCMS	Naphthalene
Air	TO-13A(M)	GCMS	Phenanthrene
Air	TO-13A(M)	GCMS	Pyrene
Air	TO-15	GCMS	1,1,1,2-Tetrachloroethane
Air	TO-15	GCMS	1,1,2,2-Tetrachloroethane
Air	TO-15	GCMS	1,1,2-Trichloroethane
Air	TO-15	GCMS	1,1-Dichloroethane
Air	TO-15	GCMS	1,1-Dichloroethene
Air	TO-15	GCMS	1,1-Difluoroethane
Air	TO-15	GCMS	1,2,4-Trichlorobenzene
Air	TO-15	GCMS	1,2,4-Trimethylbenzene
Air	TO-15	GCMS	1,2-Dibromoethane (EDB)
Air	TO-15	GCMS	1,2-Dichlorobenzene
Air	TO-15	GCMS	1,2-Dichloroethane (EDC)
Air	TO-15	GCMS	1,2-Dichloropropane
Air	TO-15	GCMS	1,2-Dichlorotetrafluoroethane
Air	TO-15	GCMS	1,3,5-Trimethylbenzene
Air	TO-15	GCMS	1,3-Butadiene
Air	TO-15	GCMS	1,3-Dichlorobenzene



Certificate of Accreditation: Supplement

Torrent Laboratory, Inc

483 Sinclair Frontage Road, Milpitas, CA 95035
Contact Name: Mukesh Jani Phone: 408-263-5258

Accreditation is granted to the facility to perform the following testing:

Matrix	Standard/Method	Technology	Analyte
Air	TO-15	GCMS	1,4-Dichlorobenzene
Air	TO-15	GCMS	1,4-Dioxane
Air	TO-15	GCMS	2-Butanone (MEK)
Air	TO-15	GCMS	2-Hexanone
Air	TO-15	GCMS	2-Propanol (Isopropyl Alcohol)
Air	TO-15	GCMS	4-Ethyl Toluene
Air	TO-15	GCMS	4-Methyl-2-Pentanone (MIBK)
Air	TO-15	GCMS	Acetone
Air	TO-15	GCMS	Benzene
Air	TO-15	GCMS	Bromodichloromethane
Air	TO-15	GCMS	Bromoform
Air	TO-15	GCMS	Bromomethane
Air	TO-15	GCMS	Carbon Disulfide
Air	TO-15	GCMS	Carbon Tetrachloride
Air	TO-15	GCMS	Chlorobenzene
Air	TO-15	GCMS	Chloroethane
Air	TO-15	GCMS	Chloroform
Air	TO-15	GCMS	Chloromethane
Air	TO-15	GCMS	cis-1,2-Dichloroethene
Air	TO-15	GCMS	cis-1,3-Dichloropropene
Air	TO-15	GCMS	Dibromochloromethane
Air	TO-15	GCMS	Dichlorodifluoromethane
Air	TO-15	GCMS	Diisopropyl ether (DIPE)
Air	TO-15	GCMS	ETBE
Air	TO-15	GCMS	Ethyl Acetate
Air	TO-15	GCMS	Ethyl Benzene
Air	TO-15	GCMS	Freon 113
Air	TO-15	GCMS	GRO
Air	TO-15	GCMS	Hexachlorobutadiene
Air	TO-15	GCMS	Hexane
Air	TO-15	GCMS	m,p-Xylene
Air	TO-15	GCMS	Methylene Chloride
Air	TO-15	GCMS	MTBE
Air	TO-15	GCMS	Naphthalene
Air	TO-15	GCMS	o-Xylene
Air	TO-15	GCMS	Styrene



Certificate of Accreditation: Supplement

Torrent Laboratory, Inc

483 Sinclair Frontage Road, Milpitas, CA 95035
Contact Name: Mukesh Jani Phone: 408-263-5258

Accreditation is granted to the facility to perform the following testing:

Matrix	Standard/Method	Technology	Analyte
Air	TO-15	GCMS	TAME
Air	TO-15	GCMS	tert-Butanol
Air	TO-15	GCMS	Tetrachloroethylene
Air	TO-15	GCMS	Tetrahydrofuran
Air	TO-15	GCMS	Toluene
Air	TO-15	GCMS	TPH as Gasoline
Air	TO-15	GCMS	trans-1,2-Dichloroethene
Air	TO-15	GCMS	trans-1,3-Dichloropropene
Air	TO-15	GCMS	Trichloroethylene
Air	TO-15	GCMS	Trichlorofluoromethane
Air	TO-15	GCMS	Vinyl Acetate
Air	TO-15	GCMS	Vinyl Chloride
Air	TO-15 SIM	GCMS	1,1,1,2-Tetrachloroethane
Air	TO-15 SIM	GCMS	1,1,2,2-Tetrachloroethane
Air	TO-15 SIM	GCMS	1,1,2-Trichloroethane
Air	TO-15 SIM	GCMS	1,1-Dichloroethane
Air	TO-15 SIM	GCMS	1,1-Dichloroethene
Air	TO-15 SIM	GCMS	1,1-Difluoroethane
Air	TO-15 SIM	GCMS	1,2,4-Trichlorobenzene
Air	TO-15 SIM	GCMS	1,2,4-Trimethylbenzene
Air	TO-15 SIM	GCMS	1,2-Dibromoethane (EDB)
Air	TO-15 SIM	GCMS	1,2-Dichlorobenzene
Air	TO-15 SIM	GCMS	1,2-Dichloroethane (EDC)
Air	TO-15 SIM	GCMS	1,2-Dichloropropane
Air	TO-15 SIM	GCMS	1,2-Dichlorotetrafluoroethane
Air	TO-15 SIM	GCMS	1,3,5-Trimethylbenzene
Air	TO-15 SIM	GCMS	1,3-Butadiene
Air	TO-15 SIM	GCMS	1,3-Dichlorobenzene
Air	TO-15 SIM	GCMS	1,4-Dichlorobenzene
Air	TO-15 SIM	GCMS	1,4-Dioxane
Air	TO-15 SIM	GCMS	2-Butanone (MEK)
Air	TO-15 SIM	GCMS	2-Hexanone
Air	TO-15 SIM	GCMS	2-Propanol (Isopropyl Alcohol)
Air	TO-15 SIM	GCMS	4-Ethyl Toluene
Air	TO-15 SIM	GCMS	4-Methyl-2-Pentanone (MIBK)
Air	TO-15 SIM	GCMS	Acetone



Certificate of Accreditation: Supplement

Torrent Laboratory, Inc

483 Sinclair Frontage Road, Milpitas, CA 95035
Contact Name: Mukesh Jani Phone: 408-263-5258

Accreditation is granted to the facility to perform the following testing:

Matrix	Standard/Method	Technology	Analyte
Air	TO-15 SIM	GCMS	Benzene
Air	TO-15 SIM	GCMS	Bromodichloromethane
Air	TO-15 SIM	GCMS	Bromoform
Air	TO-15 SIM	GCMS	Bromomethane
Air	TO-15 SIM	GCMS	Carbon Disulfide
Air	TO-15 SIM	GCMS	Carbon Tetrachloride
Air	TO-15 SIM	GCMS	Chlorobenzene
Air	TO-15 SIM	GCMS	Chloroethane
Air	TO-15 SIM	GCMS	Chloroform
Air	TO-15 SIM	GCMS	Chloromethane
Air	TO-15 SIM	GCMS	cis-1,2-Dichloroethene
Air	TO-15 SIM	GCMS	cis-1,3-Dichloropropene
Air	TO-15 SIM	GCMS	Dibromochloromethane
Air	TO-15 SIM	GCMS	Dichlorodifluoromethane
Air	TO-15 SIM	GCMS	Diisopropyl ether (DIPE)
Air	TO-15 SIM	GCMS	ETBE
Air	TO-15 SIM	GCMS	Ethyl Acetate
Air	TO-15 SIM	GCMS	Ethyl Benzene
Air	TO-15 SIM	GCMS	Freon 113
Air	TO-15 SIM	GCMS	GRO
Air	TO-15 SIM	GCMS	Hexachlorobutadiene
Air	TO-15 SIM	GCMS	Hexane
Air	TO-15 SIM	GCMS	m,p-Xylene
Air	TO-15 SIM	GCMS	Methylene Chloride
Air	TO-15 SIM	GCMS	MTBE
Air	TO-15 SIM	GCMS	Naphthalene
Air	TO-15 SIM	GCMS	o-Xylene
Air	TO-15 SIM	GCMS	Styrene
Air	TO-15 SIM	GCMS	TAME
Air	TO-15 SIM	GCMS	tert-Butanol
Air	TO-15 SIM	GCMS	Tetrachloroethylene
Air	TO-15 SIM	GCMS	Tetrahydrofuran
Air	TO-15 SIM	GCMS	Toluene
Air	TO-15 SIM	GCMS	TPH as Gasoline
Air	TO-15 SIM	GCMS	trans-1,2-Dichloroethene
Air	TO-15 SIM	GCMS	trans-1,3-Dichloropropene



Certificate of Accreditation: Supplement

Torrent Laboratory, Inc

483 Sinclair Frontage Road, Milpitas, CA 95035
Contact Name: Mukesh Jani Phone: 408-263-5258

Accreditation is granted to the facility to perform the following testing:

Matrix	Standard/Method	Technology	Analyte
Air	TO-15 SIM	GCMS	Trichloroethylene
Air	TO-15 SIM	GCMS	Vinyl Acetate
Air	TO-15 SIM	GCMS	Vinyl Chloride
Aqueous	Draft Method EPA 1633	LC-MS-MS	PFBA
Aqueous	Draft Method EPA 1633	LC-MS-MS	PF4OPeA [PFMPA]
Aqueous	Draft Method EPA 1633	LC-MS-MS	FPrPA [3:3 FTCA]
Aqueous	Draft Method EPA 1633	LC-MS-MS	PFPeA
Aqueous	Draft Method EPA 1633	LC-MS-MS	PF5OHxA [PFMBA]
Aqueous	Draft Method EPA 1633	LC-MS-MS	4:2FTS
Aqueous	Draft Method EPA 1633	LC-MS-MS	3,6-OPFHpA [NFDHA]
Aqueous	Draft Method EPA 1633	LC-MS-MS	PFHxA
Aqueous	Draft Method EPA 1633	LC-MS-MS	PFBS
Aqueous	Draft Method EPA 1633	LC-MS-MS	HFPO-DA [Gen-X]
Aqueous	Draft Method EPA 1633	LC-MS-MS	FPePA [5:3 FTCA]
Aqueous	Draft Method EPA 1633	LC-MS-MS	PFEESA
Aqueous	Draft Method EPA 1633	LC-MS-MS	PFHpA
Aqueous	Draft Method EPA 1633	LC-MS-MS	ADONA
Aqueous	Draft Method EPA 1633	LC-MS-MS	PFPeS
Aqueous	Draft Method EPA 1633	LC-MS-MS	6:2FTS
Aqueous	Draft Method EPA 1633	LC-MS-MS	PFOA
Aqueous	Draft Method EPA 1633	LC-MS-MS	FHpPA [7:3 FTCA]
Aqueous	Draft Method EPA 1633	LC-MS-MS	PFHxS
Aqueous	Draft Method EPA 1633	LC-MS-MS	PFNA
Aqueous	Draft Method EPA 1633	LC-MS-MS	8:2FTS
Aqueous	Draft Method EPA 1633	LC-MS-MS	PFHpS
Aqueous	Draft Method EPA 1633	LC-MS-MS	N-MeFOSAA
Aqueous	Draft Method EPA 1633	LC-MS-MS	PFDA
Aqueous	Draft Method EPA 1633	LC-MS-MS	N-EtFOSAA
Aqueous	Draft Method EPA 1633	LC-MS-MS	PFOS
Aqueous	Draft Method EPA 1633	LC-MS-MS	PFUdA
Aqueous	Draft Method EPA 1633	LC-MS-MS	9Cl-PF3ONS [F-53B Major]
Aqueous	Draft Method EPA 1633	LC-MS-MS	L-PFNS
Aqueous	Draft Method EPA 1633	LC-MS-MS	PFDoA
Aqueous	Draft Method EPA 1633	LC-MS-MS	PFOSA
Aqueous	Draft Method EPA 1633	LC-MS-MS	L-PFDS
Aqueous	Draft Method EPA 1633	LC-MS-MS	PFTTrDA



Certificate of Accreditation: Supplement

Torrent Laboratory, Inc

483 Sinclair Frontage Road, Milpitas, CA 95035
Contact Name: Mukesh Jani Phone: 408-263-5258

Accreditation is granted to the facility to perform the following testing:

Matrix	Standard/Method	Technology	Analyte
Aqueous	Draft Method EPA 1633	LC-MS-MS	11Cl-PF3OUds [F-53B Minor]
Aqueous	Draft Method EPA 1633	LC-MS-MS	PFTeDA
Aqueous	Draft Method EPA 1633	LC-MS-MS	PFDoS
Aqueous	Draft Method EPA 1633	LC-MS-MS	NMeFOSE
Aqueous	Draft Method EPA 1633	LC-MS-MS	N-MeFOSA
Aqueous	Draft Method EPA 1633	LC-MS-MS	NEtFOSE
Aqueous	Draft Method EPA 1633	LC-MS-MS	N-EtFOSA
Aqueous	EPA 1664B	Gravimetric	HEM
Aqueous	EPA 1664B	Gravimetric	HEM-SGT
Aqueous	EPA 1668B (M)	GC-MS-MS	PCB1 (2-Chlorobiphenyl)
Aqueous	EPA 1668B (M)	GC-MS-MS	PCB10 (2,6-Dichlorobiphenyl)
Aqueous	EPA 1668B (M)	GC-MS-MS	PCB101 (2,2',4,5,5'-Pentachlorobiphenyl)
Aqueous	EPA 1668B (M)	GC-MS-MS	PCB104 (2,2',4,6,6'-Pentachlorobiphenyl)
Aqueous	EPA 1668B (M)	GC-MS-MS	PCB105 (2,3,3',4,4'-Pentachlorobiphenyl)
Aqueous	EPA 1668B (M)	GC-MS-MS	PCB110 (2,3,3',4',6-Pentachlorobiphenyl)
Aqueous	EPA 1668B (M)	GC-MS-MS	PCB114 (2,3,4,4',5-Pentachlorobiphenyl)
Aqueous	EPA 1668B (M)	GC-MS-MS	PCB118 (2,3',4,4',5-Pentachlorobiphenyl)
Aqueous	EPA 1668B (M)	GC-MS-MS	PCB119 (2,3',4,4',6-Pentachlorobiphenyl)
Aqueous	EPA 1668B (M)	GC-MS-MS	PCB123 (2,3',4,4',5'-Pentachlorobiphenyl)
Aqueous	EPA 1668B (M)	GC-MS-MS	PCB126 (3,3',4,4',5-Pentachlorobiphenyl)
Aqueous	EPA 1668B (M)	GC-MS-MS	PCB128 (2,2',3,3',4,4'-Hexachlorobiphenyl)
Aqueous	EPA 1668B (M)	GC-MS-MS	PCB129 (2,2',3,3',4,5-Hexachlorobiphenyl)
Aqueous	EPA 1668B (M)	GC-MS-MS	PCB135 (2,2',3,3',5,6'-Hexachlorobiphenyl)
Aqueous	EPA 1668B (M)	GC-MS-MS	PCB137 (2,2',3,4,4',5-Hexachlorobiphenyl)
Aqueous	EPA 1668B (M)	GC-MS-MS	PCB138 (2,2',3,4,4',5'-Hexachlorobiphenyl)
Aqueous	EPA 1668B (M)	GC-MS-MS	PCB141 (2,2',3,4,5,5'-Hexachlorobiphenyl)
Aqueous	EPA 1668B (M)	GC-MS-MS	PCB149 (2,2',3,4',5',6-Hexachlorobiphenyl)
Aqueous	EPA 1668B (M)	GC-MS-MS	PCB15 (4,4'-Dichlorobiphenyl)
Aqueous	EPA 1668B (M)	GC-MS-MS	PCB151 (2,2',3,5,5',6-Hexachlorobiphenyl)
Aqueous	EPA 1668B (M)	GC-MS-MS	PCB153 (2,2',4,4',5,5'-Hexachlorobiphenyl)
Aqueous	EPA 1668B (M)	GC-MS-MS	PCB155 (2,2',4,4',6,6'-Hexachlorobiphenyl)
Aqueous	EPA 1668B (M)	GC-MS-MS	PCB156 (2,3,3',4,4',5-Hexachlorobiphenyl)
Aqueous	EPA 1668B (M)	GC-MS-MS	PCB157 (2,3,3',4,4',5'-Hexachlorobiphenyl)
Aqueous	EPA 1668B (M)	GC-MS-MS	PCB158 (2,3,3',4,4',6-Hexachlorobiphenyl)
Aqueous	EPA 1668B (M)	GC-MS-MS	PCB16 (2,2',3-Trichlorobiphenyl)
Aqueous	EPA 1668B (M)	GC-MS-MS	PCB167 (2,3',4,4',5,5'-Hexachlorobiphenyl)



Certificate of Accreditation: Supplement

Torrent Laboratory, Inc

483 Sinclair Frontage Road, Milpitas, CA 95035
Contact Name: Mukesh Jani Phone: 408-263-5258

Accreditation is granted to the facility to perform the following testing:

Matrix	Standard/Method	Technology	Analyte
Aqueous	EPA 1668B (M)	GC-MS-MS	PCB168 (2,3',4,4',5',6'-Hexachlorobiphenyl)
Aqueous	EPA 1668B (M)	GC-MS-MS	PCB169 (3,3',4,4',5,5'-Hexachlorobiphenyl)
Aqueous	EPA 1668B (M)	GC-MS-MS	PCB170 (2,2',3,3',4,4',5-Heptachlorobiphenyl)
Aqueous	EPA 1668B (M)	GC-MS-MS	PCB171 (2,2',3,3',4,4',6-Heptachlorobiphenyl)
Aqueous	EPA 1668B (M)	GC-MS-MS	PCB174 (2,2',3,3',4,5,6'-Heptachlorobiphenyl)
Aqueous	EPA 1668B (M)	GC-MS-MS	PCB177 (2,2',3,3',4,5',6'-Heptachlorobiphenyl)
Aqueous	EPA 1668B (M)	GC-MS-MS	PCB178 (2,2',3,3',5,5',6-Heptachlorobiphenyl)
Aqueous	EPA 1668B (M)	GC-MS-MS	PCB18 (2,2',5-Trichlorobiphenyl)
Aqueous	EPA 1668B (M)	GC-MS-MS	PCB180 (2,2',3,4,4',5,5'-Heptachlorobiphenyl)
Aqueous	EPA 1668B (M)	GC-MS-MS	PCB183 (2,2',3,4,4',5',6-Heptachlorobiphenyl)
Aqueous	EPA 1668B (M)	GC-MS-MS	PCB187 (2,2',3,4',5,5',6-Heptachlorobiphenyl)
Aqueous	EPA 1668B (M)	GC-MS-MS	PCB188 (2,2',3,4',5,6,6'-Heptachlorobiphenyl)
Aqueous	EPA 1668B (M)	GC-MS-MS	PCB189 (2,3,3',4,4',5,5'-Heptachlorobiphenyl)
Aqueous	EPA 1668B (M)	GC-MS-MS	PCB19 (2,2',6-Trichlorobiphenyl)
Aqueous	EPA 1668B (M)	GC-MS-MS	PCB191 (2,3,3',4,4',5',6-Heptachlorobiphenyl)
Aqueous	EPA 1668B (M)	GC-MS-MS	PCB193 (2,3,3',4',5,5',6-Heptachlorobiphenyl)
Aqueous	EPA 1668B (M)	GC-MS-MS	PCB194 (2,2',3,3',4,4',5,5'-Octachlorobiphenyl)
Aqueous	EPA 1668B (M)	GC-MS-MS	PCB199 (2,2',3,3',4,5,5',6'-Octachlorobiphenyl)
Aqueous	EPA 1668B (M)	GC-MS-MS	PCB200 (2,2',3,3',4,5,6,6'-Octachlorobiphenyl)
Aqueous	EPA 1668B (M)	GC-MS-MS	PCB201 (2,2',3,3',4,5',6,6'-Octachlorobiphenyl)
Aqueous	EPA 1668B (M)	GC-MS-MS	PCB202 (2,2',3,3',5,5',6,6'-Octachlorobiphenyl)
Aqueous	EPA 1668B (M)	GC-MS-MS	PCB203 (2,2',3,4,4',5,5',6-Octachlorobiphenyl)
Aqueous	EPA 1668B (M)	GC-MS-MS	PCB205 (2,3,3',4,4',5,5',6-Octachlorobiphenyl)
Aqueous	EPA 1668B (M)	GC-MS-MS	PCB206 (2,2',3,3',4,4',5,5',6-Nonachlorobiphenyl)



Certificate of Accreditation: Supplement

Torrent Laboratory, Inc

483 Sinclair Frontage Road, Milpitas, CA 95035
Contact Name: Mukesh Jani Phone: 408-263-5258

Accreditation is granted to the facility to perform the following testing:

Matrix	Standard/Method	Technology	Analyte
Aqueous	EPA 1668B (M)	GC-MS-MS	PCB207 (2,2',3,3',4,4',5,6,6'-Nonachlorobiphenyl)
Aqueous	EPA 1668B (M)	GC-MS-MS	PCB208 (2,2',3,3',4,5,5',6,6'-Nonachlorobiphenyl)
Aqueous	EPA 1668B (M)	GC-MS-MS	PCB209 (Decachlorobiphenyl)
Aqueous	EPA 1668B (M)	GC-MS-MS	PCB22 (2,3,4'-Trichlorobiphenyl)
Aqueous	EPA 1668B (M)	GC-MS-MS	PCB28 (2,4,4'-Trichlorobiphenyl)
Aqueous	EPA 1668B (M)	GC-MS-MS	PCB3 (4-Chlorobiphenyl)
Aqueous	EPA 1668B (M)	GC-MS-MS	PCB31 (2,4',5-Trichlorobiphenyl)
Aqueous	EPA 1668B (M)	GC-MS-MS	PCB33 (2,3',4'-Trichlorobiphenyl)
Aqueous	EPA 1668B (M)	GC-MS-MS	PCB37 (3,4,4'-Trichlorobiphenyl)
Aqueous	EPA 1668B (M)	GC-MS-MS	PCB4 (2,2'-Dichlorobiphenyl)
Aqueous	EPA 1668B (M)	GC-MS-MS	PCB40 (2,2',3,3'-Tetrachlorobiphenyl)
Aqueous	EPA 1668B (M)	GC-MS-MS	PCB41 (2,2',3,4-Tetrachlorobiphenyl)
Aqueous	EPA 1668B (M)	GC-MS-MS	PCB44 (2,2',3,5'-Tetrachlorobiphenyl)
Aqueous	EPA 1668B (M)	GC-MS-MS	PCB49 (2,2',4,5'-Tetrachlorobiphenyl)
Aqueous	EPA 1668B (M)	GC-MS-MS	PCB52 (2,2',5,5'-Tetrachlorobiphenyl)
Aqueous	EPA 1668B (M)	GC-MS-MS	PCB54 (2,2',6,6'-Tetrachlorobiphenyl)
Aqueous	EPA 1668B (M)	GC-MS-MS	PCB6 (2,3'-Dichlorobiphenyl)
Aqueous	EPA 1668B (M)	GC-MS-MS	PCB60 (2,3,4,4'-Tetrachlorobiphenyl)
Aqueous	EPA 1668B (M)	GC-MS-MS	PCB66 (2,3',4,4'-Tetrachlorobiphenyl)
Aqueous	EPA 1668B (M)	GC-MS-MS	PCB70 (2,3',4',5-Tetrachlorobiphenyl)
Aqueous	EPA 1668B (M)	GC-MS-MS	PCB74 (2,4,4',5-Tetrachlorobiphenyl)
Aqueous	EPA 1668B (M)	GC-MS-MS	PCB77 (3,3',4,4'-Tetrachlorobiphenyl)
Aqueous	EPA 1668B (M)	GC-MS-MS	PCB8 (2,4'-Dichlorobiphenyl)
Aqueous	EPA 1668B (M)	GC-MS-MS	PCB81 (3,4,4',5-Tetrachlorobiphenyl)
Aqueous	EPA 1668B (M)	GC-MS-MS	PCB84 (2,2',3,3',6-Pentachlorobiphenyl)
Aqueous	EPA 1668B (M)	GC-MS-MS	PCB85 (2,2',3,4,4'-Pentachlorobiphenyl)
Aqueous	EPA 1668B (M)	GC-MS-MS	PCB87 (2,2',3,4,5'-Pentachlorobiphenyl)
Aqueous	EPA 1668B (M)	GC-MS-MS	PCB90 (2,2',3,4',5-Pentachlorobiphenyl)
Aqueous	EPA 1668B (M)	GC-MS-MS	PCB95 (2,2',3,5',6-Pentachlorobiphenyl)
Aqueous	EPA 1668B (M)	GC-MS-MS	PCB97 (2,2',3,4',5'-Pentachlorobiphenyl)
Aqueous	EPA 1668B (M)	GC-MS-MS	PCB99 (2,2',4,4',5-Pentachlorobiphenyl)
Aqueous	EPA 314.0	IC	Perchlorate
Aqueous	EPA 6010C	ICP-AES	Aluminum
Aqueous	EPA 6010C	ICP-AES	Antimony
Aqueous	EPA 6010C	ICP-AES	Arsenic



Certificate of Accreditation: Supplement

Torrent Laboratory, Inc

483 Sinclair Frontage Road, Milpitas, CA 95035
Contact Name: Mukesh Jani Phone: 408-263-5258

Accreditation is granted to the facility to perform the following testing:

Matrix	Standard/Method	Technology	Analyte
Aqueous	EPA 6010C	ICP-AES	Barium
Aqueous	EPA 6010C	ICP-AES	Beryllium
Aqueous	EPA 6010C	ICP-AES	Calcium
Aqueous	EPA 6010C	ICP-AES	Chromium
Aqueous	EPA 6010C	ICP-AES	Cobalt
Aqueous	EPA 6010C	ICP-AES	Copper
Aqueous	EPA 6010C	ICP-AES	Iron
Aqueous	EPA 6010C	ICP-AES	Lead
Aqueous	EPA 6010C	ICP-AES	Magnesium
Aqueous	EPA 6010C	ICP-AES	Manganese
Aqueous	EPA 6010C	ICP-AES	Molybdenum
Aqueous	EPA 6010C	ICP-AES	Nickel
Aqueous	EPA 6010C	ICP-AES	Potassium
Aqueous	EPA 6010C	ICP-AES	Selenium
Aqueous	EPA 6010C	ICP-AES	Silver
Aqueous	EPA 6010C	ICP-AES	Sodium
Aqueous	EPA 6010C	ICP-AES	Thallium
Aqueous	EPA 6010C	ICP-AES	Vanadium
Aqueous	EPA 6010C	ICP-AES	Zinc
Aqueous	EPA 6020A	ICP-MS	Aluminum
Aqueous	EPA 6020A	ICP-MS	Antimony
Aqueous	EPA 6020A	ICP-MS	Arsenic
Aqueous	EPA 6020A	ICP-MS	Barium
Aqueous	EPA 6020A	ICP-MS	Beryllium
Aqueous	EPA 6020A	ICP-MS	Cadmium
Aqueous	EPA 6020A	ICP-MS	Calcium
Aqueous	EPA 6020A	ICP-MS	Chromium
Aqueous	EPA 6020A	ICP-MS	Cobalt
Aqueous	EPA 6020A	ICP-MS	Copper
Aqueous	EPA 6020A	ICP-MS	Iron
Aqueous	EPA 6020A	ICP-MS	Lead
Aqueous	EPA 6020A	ICP-MS	Magnesium
Aqueous	EPA 6020A	ICP-MS	Manganese
Aqueous	EPA 6020A	ICP-MS	Molybdenum
Aqueous	EPA 6020A	ICP-MS	Nickel
Aqueous	EPA 6020A	ICP-MS	Selenium



Certificate of Accreditation: Supplement

Torrent Laboratory, Inc

483 Sinclair Frontage Road, Milpitas, CA 95035
Contact Name: Mukesh Jani Phone: 408-263-5258

Accreditation is granted to the facility to perform the following testing:

Matrix	Standard/Method	Technology	Analyte
Aqueous	EPA 6020A	ICP-MS	Silver
Aqueous	EPA 6020A	ICP-MS	Thallium
Aqueous	EPA 6020A	ICP-MS	Vanadium
Aqueous	EPA 6020A	ICP-MS	Zinc
Aqueous	EPA 6020B	ICP-MS	Aluminum
Aqueous	EPA 6020B	ICP-MS	Antimony
Aqueous	EPA 6020B	ICP-MS	Arsenic
Aqueous	EPA 6020B	ICP-MS	Barium
Aqueous	EPA 6020B	ICP-MS	Beryllium
Aqueous	EPA 6020B	ICP-MS	Cadmium
Aqueous	EPA 6020B	ICP-MS	Calcium
Aqueous	EPA 6020B	ICP-MS	Chromium
Aqueous	EPA 6020B	ICP-MS	Cobalt
Aqueous	EPA 6020B	ICP-MS	Copper
Aqueous	EPA 6020B	ICP-MS	Iron
Aqueous	EPA 6020B	ICP-MS	Lead
Aqueous	EPA 6020B	ICP-MS	Magnesium
Aqueous	EPA 6020B	ICP-MS	Manganese
Aqueous	EPA 6020B	ICP-MS	Molybdenum
Aqueous	EPA 6020B	ICP-MS	Nickel
Aqueous	EPA 6020B	ICP-MS	Selenium
Aqueous	EPA 6020B	ICP-MS	Silver
Aqueous	EPA 6020B	ICP-MS	Thallium
Aqueous	EPA 6020B	ICP-MS	Vanadium
Aqueous	EPA 6020B	ICP-MS	Zinc
Aqueous	EPA 6850	LC-MS-MS	Perchlorate
Aqueous	EPA 7199	IC-UV	Hexavalent Chromium
Aqueous	EPA 7470A	CVAA	Mercury
Aqueous	EPA 8015B (M)	GC-FID	DRO
Aqueous	EPA 8015B (M)	GC-FID	RRO
Aqueous	EPA 8015B (M)	GC-FID	TPH as Diesel
Aqueous	EPA 8015B (M)	GC-FID	TPH as Motor Oil
Aqueous	EPA 8081B	GC-ECD	4,4-DDD
Aqueous	EPA 8081B	GC-ECD	4,4-DDE
Aqueous	EPA 8081B	GC-ECD	4,4-DDT
Aqueous	EPA 8081B	GC-ECD	Aldrin



Certificate of Accreditation: Supplement

Torrent Laboratory, Inc

483 Sinclair Frontage Road, Milpitas, CA 95035
Contact Name: Mukesh Jani Phone: 408-263-5258

Accreditation is granted to the facility to perform the following testing:

Matrix	Standard/Method	Technology	Analyte
Aqueous	EPA 8081B	GC-ECD	alpha-BHC
Aqueous	EPA 8081B	GC-ECD	alpha-Chlordane
Aqueous	EPA 8081B	GC-ECD	beta-BHC
Aqueous	EPA 8081B	GC-ECD	Chlordane
Aqueous	EPA 8081B	GC-ECD	delta-BHC
Aqueous	EPA 8081B	GC-ECD	Dieldrin
Aqueous	EPA 8081B	GC-ECD	Endosulfan I
Aqueous	EPA 8081B	GC-ECD	Endosulfan II
Aqueous	EPA 8081B	GC-ECD	Endosulfan Sulfate
Aqueous	EPA 8081B	GC-ECD	Endrin
Aqueous	EPA 8081B	GC-ECD	Endrin Aldehyde
Aqueous	EPA 8081B	GC-ECD	Endrin Ketone
Aqueous	EPA 8081B	GC-ECD	gamma-BHC
Aqueous	EPA 8081B	GC-ECD	gamma-Chlordane
Aqueous	EPA 8081B	GC-ECD	Heptachlor
Aqueous	EPA 8081B	GC-ECD	Heptachlor Epoxide
Aqueous	EPA 8081B	GC-ECD	Methoxychlor
Aqueous	EPA 8081B	GC-ECD	Toxaphene
Aqueous	EPA 8082A	GC-ECD	Aroclor 1016
Aqueous	EPA 8082A	GC-ECD	Aroclor 1221
Aqueous	EPA 8082A	GC-ECD	Aroclor 1232
Aqueous	EPA 8082A	GC-ECD	Aroclor 1242
Aqueous	EPA 8082A	GC-ECD	Aroclor 1248
Aqueous	EPA 8082A	GC-ECD	Aroclor 1254
Aqueous	EPA 8082A	GC-ECD	Aroclor 1260
Aqueous	EPA 8260B	GC-MS	1,1,1,2-Tetrachloroethane
Aqueous	EPA 8260B	GC-MS	1,1,1-Trichloroethane
Aqueous	EPA 8260B	GC-MS	1,1,2,2-Tetrachloroethane
Aqueous	EPA 8260B	GC-MS	1,1,2-Trichloroethane
Aqueous	EPA 8260B	GC-MS	1,1-Dichloroethane
Aqueous	EPA 8260B	GC-MS	1,1-Dichloroethene
Aqueous	EPA 8260B	GC-MS	1,1-Dichloropropene
Aqueous	EPA 8260B	GC-MS	1,2,3-Trichlorobenzene
Aqueous	EPA 8260B	GC-MS	1,2,3-Trichloropropane
Aqueous	EPA 8260B	GC-MS	1,2,4-Trichlorobenzene
Aqueous	EPA 8260B	GC-MS	1,2,4-Trimethylbenzene



Certificate of Accreditation: Supplement

Torrent Laboratory, Inc

483 Sinclair Frontage Road, Milpitas, CA 95035
Contact Name: Mukesh Jani Phone: 408-263-5258

Accreditation is granted to the facility to perform the following testing:

Matrix	Standard/Method	Technology	Analyte
Aqueous	EPA 8260B	GC-MS	1,2-Dibromo-3-Chloropropane
Aqueous	EPA 8260B	GC-MS	1,2-Dibromoethane
Aqueous	EPA 8260B	GC-MS	1,2-Dichlorobenzene
Aqueous	EPA 8260B	GC-MS	1,2-Dichloroethane
Aqueous	EPA 8260B	GC-MS	1,2-Dichloropropane
Aqueous	EPA 8260B	GC-MS	1,3,5-Trimethylbenzene
Aqueous	EPA 8260B	GC-MS	1,3-Dichlorobenzene
Aqueous	EPA 8260B	GC-MS	1,3-Dichloropropane
Aqueous	EPA 8260B	GC-MS	1,4-Dichlorobenzene
Aqueous	EPA 8260B	GC-MS	2,2-Dichloropropane
Aqueous	EPA 8260B	GC-MS	2-Butanone
Aqueous	EPA 8260B	GC-MS	2-Chlorotoluene
Aqueous	EPA 8260B	GC-MS	2-Hexanone
Aqueous	EPA 8260B	GC-MS	4-Chlorotoluene
Aqueous	EPA 8260B	GC-MS	4-Methyl-2-Pentanone
Aqueous	EPA 8260B	GC-MS	Acetone
Aqueous	EPA 8260B	GC-MS	Benzene
Aqueous	EPA 8260B	GC-MS	Bromobenzene
Aqueous	EPA 8260B	GC-MS	Bromochloromethane
Aqueous	EPA 8260B	GC-MS	Bromodichloromethane
Aqueous	EPA 8260B	GC-MS	Bromoform
Aqueous	EPA 8260B	GC-MS	Bromomethane
Aqueous	EPA 8260B	GC-MS	Carbon disulfide
Aqueous	EPA 8260B	GC-MS	Carbon Tetrachloride
Aqueous	EPA 8260B	GC-MS	Chlorobenzene
Aqueous	EPA 8260B	GC-MS	Chloroethane
Aqueous	EPA 8260B	GC-MS	Chloroform
Aqueous	EPA 8260B	GC-MS	Chloromethane
Aqueous	EPA 8260B	GC-MS	cis-1,2-Dichloroethene
Aqueous	EPA 8260B	GC-MS	cis-1,3-Dichloropropene
Aqueous	EPA 8260B	GC-MS	Dibromochloromethane
Aqueous	EPA 8260B	GC-MS	Dibromomethane
Aqueous	EPA 8260B	GC-MS	Dichlorodifluoromethane
Aqueous	EPA 8260B	GC-MS	Diisopropyl ether (DIPE)
Aqueous	EPA 8260B	GC-MS	ETBE
Aqueous	EPA 8260B	GC-MS	Ethyl Benzene



Certificate of Accreditation: Supplement

Torrent Laboratory, Inc

483 Sinclair Frontage Road, Milpitas, CA 95035
Contact Name: Mukesh Jani Phone: 408-263-5258

Accreditation is granted to the facility to perform the following testing:

Matrix	Standard/Method	Technology	Analyte
Aqueous	EPA 8260B	GC-MS	Freon 113
Aqueous	EPA 8260B	GC-MS	GRO
Aqueous	EPA 8260B	GC-MS	Hexachlorobutadiene
Aqueous	EPA 8260B	GC-MS	Isopropyl Benzene
Aqueous	EPA 8260B	GC-MS	m,p-Xylene
Aqueous	EPA 8260B	GC-MS	Methylene Chloride
Aqueous	EPA 8260B	GC-MS	MTBE
Aqueous	EPA 8260B	GC-MS	Naphthalene
Aqueous	EPA 8260B	GC-MS	n-Butylbenzene
Aqueous	EPA 8260B	GC-MS	n-Propylbenzene
Aqueous	EPA 8260B	GC-MS	o-Xylene
Aqueous	EPA 8260B	GC-MS	p-Isopropyltoluene
Aqueous	EPA 8260B	GC-MS	sec-Butyl Benzene
Aqueous	EPA 8260B	GC-MS	Styrene
Aqueous	EPA 8260B	GC-MS	TAME
Aqueous	EPA 8260B	GC-MS	tert-Butanol
Aqueous	EPA 8260B	GC-MS	tert-Butylbenzene
Aqueous	EPA 8260B	GC-MS	Tetrachloroethylene
Aqueous	EPA 8260B	GC-MS	Toluene
Aqueous	EPA 8260B	GC-MS	TPH as Gasoline
Aqueous	EPA 8260B	GC-MS	trans-1,2-Dichloroethene
Aqueous	EPA 8260B	GC-MS	trans-1,3-Dichloropropene
Aqueous	EPA 8260B	GC-MS	Trichloroethylene
Aqueous	EPA 8260B	GC-MS	Trichlorofluoromethane
Aqueous	EPA 8260B	GC-MS	Vinyl Chloride
Aqueous	EPA 8270D	GC-MS	1,2,4-Trichlorobenzene
Aqueous	EPA 8270D	GC-MS	1,2-Dichlorobenzene
Aqueous	EPA 8270D	GC-MS	1,2-Dinitrobenzene
Aqueous	EPA 8270D	GC-MS	1,3-Dichlorobenzene
Aqueous	EPA 8270D	GC-MS	1,3-Dinitrobenzene
Aqueous	EPA 8270D	GC-MS	1,4-Dichlorobenzene
Aqueous	EPA 8270D	GC-MS	1,4-Dinitrobenzene
Aqueous	EPA 8270D	GC-MS	1-Methylnaphthalene
Aqueous	EPA 8270D	GC-MS	2,3,4,6-Tetrachlorophenol
Aqueous	EPA 8270D	GC-MS	2,3,5,6-Tetrachlorophenol
Aqueous	EPA 8270D	GC-MS	2,4,5-Trichlorophenol



Certificate of Accreditation: Supplement

Torrent Laboratory, Inc

483 Sinclair Frontage Road, Milpitas, CA 95035
Contact Name: Mukesh Jani Phone: 408-263-5258

Accreditation is granted to the facility to perform the following testing:

Matrix	Standard/Method	Technology	Analyte
Aqueous	EPA 8270D	GC-MS	2,4,6-Trichlorophenol
Aqueous	EPA 8270D	GC-MS	2,4-Dichlorophenol
Aqueous	EPA 8270D	GC-MS	2,4-Dimethylphenol
Aqueous	EPA 8270D	GC-MS	2,4-Dinitrophenol
Aqueous	EPA 8270D	GC-MS	2,4-Dinitrotoluene
Aqueous	EPA 8270D	GC-MS	2,6-Dichlorophenol
Aqueous	EPA 8270D	GC-MS	2,6-Dinitrotoluene
Aqueous	EPA 8270D	GC-MS	2-Chloronaphthalene
Aqueous	EPA 8270D	GC-MS	2-Chlorophenol
Aqueous	EPA 8270D	GC-MS	2-Methylnaphthalene
Aqueous	EPA 8270D	GC-MS	2-Methylphenol (o-Cresol)
Aqueous	EPA 8270D	GC-MS	2-Nitroaniline
Aqueous	EPA 8270D	GC-MS	2-Nitrophenol
Aqueous	EPA 8270D	GC-MS	3,3-Dichlorobenzidine
Aqueous	EPA 8270D	GC-MS	3-/4-Methylphenol (p-/m-Cresol)
Aqueous	EPA 8270D	GC-MS	3-Nitroaniline
Aqueous	EPA 8270D	GC-MS	4,6-Dinitro-2-methylphenol
Aqueous	EPA 8270D	GC-MS	4-Bromophenyl phenyl ether
Aqueous	EPA 8270D	GC-MS	4-Chloro-3-methylphenol
Aqueous	EPA 8270D	GC-MS	4-Chloroaniline
Aqueous	EPA 8270D	GC-MS	4-Chlorophenyl phenyl ether
Aqueous	EPA 8270D	GC-MS	4-Nitroaniline
Aqueous	EPA 8270D	GC-MS	4-Nitrophenol
Aqueous	EPA 8270D	GC-MS	Acenaphthene
Aqueous	EPA 8270D	GC-MS	Acenaphthylene
Aqueous	EPA 8270D	GC-MS	Aniline
Aqueous	EPA 8270D	GC-MS	Anthracene
Aqueous	EPA 8270D	GC-MS	Azobenzene
Aqueous	EPA 8270D	GC-MS	Benz[a]anthracene
Aqueous	EPA 8270D	GC-MS	Benzidine
Aqueous	EPA 8270D	GC-MS	Benzo[a]pyrene
Aqueous	EPA 8270D	GC-MS	Benzo[b]fluoranthene
Aqueous	EPA 8270D	GC-MS	Benzo[g,h,i]perylene
Aqueous	EPA 8270D	GC-MS	Benzo[k]fluoranthene
Aqueous	EPA 8270D	GC-MS	Benzoic Acid
Aqueous	EPA 8270D	GC-MS	Benzyl Alcohol



Certificate of Accreditation: Supplement

Torrent Laboratory, Inc

483 Sinclair Frontage Road, Milpitas, CA 95035
Contact Name: Mukesh Jani Phone: 408-263-5258

Accreditation is granted to the facility to perform the following testing:

Matrix	Standard/Method	Technology	Analyte
Aqueous	EPA 8270D	GC-MS	Benzyl butyl phthalate
Aqueous	EPA 8270D	GC-MS	Bis(2-Chloroethoxy) methane
Aqueous	EPA 8270D	GC-MS	Bis(2-chloroethyl) ether
Aqueous	EPA 8270D	GC-MS	Bis(2-chloroisopropyl) ether
Aqueous	EPA 8270D	GC-MS	Bis(2-Ethylhexyl)phthalate
Aqueous	EPA 8270D	GC-MS	Carbazole
Aqueous	EPA 8270D	GC-MS	Chrysene
Aqueous	EPA 8270D	GC-MS	Dibenz[a,h]anthracene
Aqueous	EPA 8270D	GC-MS	Dibenzofuran
Aqueous	EPA 8270D	GC-MS	Diethylphthalate
Aqueous	EPA 8270D	GC-MS	Dimethyl phthalate
Aqueous	EPA 8270D	GC-MS	Di-n-butylphthalate
Aqueous	EPA 8270D	GC-MS	Di-n-octyl phthalate
Aqueous	EPA 8270D	GC-MS	Diphenylamine
Aqueous	EPA 8270D	GC-MS	Fluoranthene
Aqueous	EPA 8270D	GC-MS	Fluorene
Aqueous	EPA 8270D	GC-MS	Hexachloro-1,3-butadiene
Aqueous	EPA 8270D	GC-MS	Hexachlorobenzene
Aqueous	EPA 8270D	GC-MS	Hexachlorocyclopentadiene
Aqueous	EPA 8270D	GC-MS	Hexachloroethane
Aqueous	EPA 8270D	GC-MS	Indeno[1,2,3-cd]pyrene
Aqueous	EPA 8270D	GC-MS	Isophorone
Aqueous	EPA 8270D	GC-MS	Naphthalene
Aqueous	EPA 8270D	GC-MS	Nitrobenzene
Aqueous	EPA 8270D	GC-MS	N-Nitrosodimethylamine
Aqueous	EPA 8270D	GC-MS	N-nitroso-di-n-propylamine
Aqueous	EPA 8270D	GC-MS	Pentachlorophenol
Aqueous	EPA 8270D	GC-MS	Phenanthrene
Aqueous	EPA 8270D	GC-MS	Phenol
Aqueous	EPA 8270D	GC-MS	Pyrene
Aqueous	EPA 8270D	GC-MS	Pyridine
Aqueous	EPA 8270D SIM	GC-MS	1-Methylnaphthalene
Aqueous	EPA 8270D SIM	GC-MS	2-Methylnaphthalene
Aqueous	EPA 8270D SIM	GC-MS	Acenaphthene
Aqueous	EPA 8270D SIM	GC-MS	Acenaphthylene
Aqueous	EPA 8270D SIM	GC-MS	Anthracene



Certificate of Accreditation: Supplement

Torrent Laboratory, Inc

483 Sinclair Frontage Road, Milpitas, CA 95035
Contact Name: Mukesh Jani Phone: 408-263-5258

Accreditation is granted to the facility to perform the following testing:

Matrix	Standard/Method	Technology	Analyte
Aqueous	EPA 8270D SIM	GC-MS	Azinphos-methyl
Aqueous	EPA 8270D SIM	GC-MS	Benz[a]anthracene
Aqueous	EPA 8270D SIM	GC-MS	Benzo [g,h,i] perylene
Aqueous	EPA 8270D SIM	GC-MS	Benzo[a]pyrene
Aqueous	EPA 8270D SIM	GC-MS	Benzo[b]fluoranthene
Aqueous	EPA 8270D SIM	GC-MS	Benzo[k]fluoranthene
Aqueous	EPA 8270D SIM	GC-MS	Carbophenothion
Aqueous	EPA 8270D SIM	GC-MS	Chlorpyrifos
Aqueous	EPA 8270D SIM	GC-MS	Chrysene
Aqueous	EPA 8270D SIM	GC-MS	Coumaphos
Aqueous	EPA 8270D SIM	GC-MS	DEF
Aqueous	EPA 8270D SIM	GC-MS	Demeton (Systox)
Aqueous	EPA 8270D SIM	GC-MS	Demeton-O
Aqueous	EPA 8270D SIM	GC-MS	Dibenz [a,h] anthracene
Aqueous	EPA 8270D SIM	GC-MS	Dichlorvos
Aqueous	EPA 8270D SIM	GC-MS	Dimethoate
Aqueous	EPA 8270D SIM	GC-MS	Disulfoton
Aqueous	EPA 8270D SIM	GC-MS	EPN
Aqueous	EPA 8270D SIM	GC-MS	Ethion
Aqueous	EPA 8270D SIM	GC-MS	Ethoprophos
Aqueous	EPA 8270D SIM	GC-MS	Famfur
Aqueous	EPA 8270D SIM	GC-MS	Fensulfothion
Aqueous	EPA 8270D SIM	GC-MS	Fenthion
Aqueous	EPA 8270D SIM	GC-MS	Fluoranthene
Aqueous	EPA 8270D SIM	GC-MS	Fluorene
Aqueous	EPA 8270D SIM	GC-MS	Hexachlorobenzene
Aqueous	EPA 8270D SIM	GC-MS	Indeno [1,2,3-cd] pyrene
Aqueous	EPA 8270D SIM	GC-MS	Methyl Parathion
Aqueous	EPA 8270D SIM	GC-MS	Naled
Aqueous	EPA 8270D SIM	GC-MS	Naphthalene
Aqueous	EPA 8270D SIM	GC-MS	Parathion
Aqueous	EPA 8270D SIM	GC-MS	Phenanthrene
Aqueous	EPA 8270D SIM	GC-MS	Phorate
Aqueous	EPA 8270D SIM	GC-MS	Phosmet
Aqueous	EPA 8270D SIM	GC-MS	Prothiofos
Aqueous	EPA 8270D SIM	GC-MS	Pyrene



Certificate of Accreditation: Supplement

Torrent Laboratory, Inc

483 Sinclair Frontage Road, Milpitas, CA 95035
Contact Name: Mukesh Jani Phone: 408-263-5258

Accreditation is granted to the facility to perform the following testing:

Matrix	Standard/Method	Technology	Analyte
Aqueous	EPA 8270D SIM	GC-MS	Ronnel
Aqueous	EPA 8270D SIM	GC-MS	Sulfotepp
Aqueous	EPA 8270D SIM	GC-MS	Sulprofos
Aqueous	EPA 8270D SIM	GC-MS	Terbufos
Aqueous	EPA 8270D SIM	GC-MS	Tetrachlorvinphos
Aqueous	EPA 8270D SIM	GC-MS	Tetraethyl Pyrophosphate (TEPP)
Aqueous	EPA 8270D SIM	GC-MS	Trichloronate
Aqueous	EPA 8270D SIM	GC-MS	Malathion
Aqueous	EPA 8290 (M)	GCMS-MS	1234678-HpCDD
Aqueous	EPA 8290 (M)	GCMS-MS	1234678-HpCDF
Aqueous	EPA 8290 (M)	GCMS-MS	1234789-HpCDF
Aqueous	EPA 8290 (M)	GCMS-MS	123478-HxCDD
Aqueous	EPA 8290 (M)	GCMS-MS	123478-HxCDF
Aqueous	EPA 8290 (M)	GCMS-MS	123678-HxCDD
Aqueous	EPA 8290 (M)	GCMS-MS	123678-HxCDF
Aqueous	EPA 8290 (M)	GCMS-MS	123789-HxCDD
Aqueous	EPA 8290 (M)	GCMS-MS	123789-HxCDF
Aqueous	EPA 8290 (M)	GCMS-MS	12378-PeCDD
Aqueous	EPA 8290 (M)	GCMS-MS	12378-PeCDF
Aqueous	EPA 8290 (M)	GCMS-MS	234678-HxCDF
Aqueous	EPA 8290 (M)	GCMS-MS	23478-PeCDF
Aqueous	EPA 8290 (M)	GCMS-MS	2378-TCDD
Aqueous	EPA 8290 (M)	GCMS-MS	2378-TCDF
Aqueous	EPA 8290 (M)	GCMS-MS	OCDD
Aqueous	EPA 8290 (M)	GCMS-MS	OCDF
Aqueous	EPA 8321B(M)	LC-MS-MS	2,4,5-T
Aqueous	EPA 8321B(M)	LC-MS-MS	2,4,5-TP
Aqueous	EPA 8321B(M)	LC-MS-MS	2,4-D
Aqueous	EPA 8321B(M)	LC-MS-MS	2,4-DB
Aqueous	EPA 8321B(M)	LC-MS-MS	3,5-DCBA
Aqueous	EPA 8321B(M)	LC-MS-MS	4-Nitrophenol
Aqueous	EPA 8321B(M)	LC-MS-MS	Aciflurofen
Aqueous	EPA 8321B(M)	LC-MS-MS	Bentazone
Aqueous	EPA 8321B(M)	LC-MS-MS	Choramben
Aqueous	EPA 8321B(M)	LC-MS-MS	Dalapon
Aqueous	EPA 8321B(M)	LC-MS-MS	Dicamba



Certificate of Accreditation: Supplement

Torrent Laboratory, Inc

483 Sinclair Frontage Road, Milpitas, CA 95035
Contact Name: Mukesh Jani Phone: 408-263-5258

Accreditation is granted to the facility to perform the following testing:

Matrix	Standard/Method	Technology	Analyte
Aqueous	EPA 8321B(M)	LC-MS-MS	Dichloroprop
Aqueous	EPA 8321B(M)	LC-MS-MS	Dinoseb
Aqueous	EPA 8321B(M)	LC-MS-MS	MCPA
Aqueous	EPA 8321B(M)	LC-MS-MS	MCPP
Aqueous	EPA 8321B(M)	LC-MS-MS	Pentachlorophenol
Aqueous	EPA 8321B(M)	LC-MS-MS	Picloram
Aqueous	EPA 8330A	HPLC	1,3,5-Trinitrobenzene
Aqueous	EPA 8330A	HPLC	1,3-Dinitrobenzene
Aqueous	EPA 8330A	HPLC	2,4,6-Trinitrotoluene
Aqueous	EPA 8330A	HPLC	2,4-Dinitrotoluene
Aqueous	EPA 8330A	HPLC	2,6-Dinitrotoluene
Aqueous	EPA 8330A	HPLC	2-Amino-4,6-Trinitrotoluene
Aqueous	EPA 8330A	HPLC	2-Nitrotoluene
Aqueous	EPA 8330A	HPLC	3-Nitrotoluene
Aqueous	EPA 8330A	HPLC	4-Amino-2,6-Trinitrotoluene
Aqueous	EPA 8330A	HPLC	4-Nitrotoluene
Aqueous	EPA 8330A	HPLC	HMX
Aqueous	EPA 8330A	HPLC	nitrobenzene
Aqueous	EPA 8330A	HPLC	Nitroglycerine
Aqueous	EPA 8330A	HPLC	PETN
Aqueous	EPA 8330A	HPLC	RDX
Aqueous	EPA 8330A	HPLC	Tetryl
Aqueous	EPA 8330B	HPLC	1,3,5-Trinitrobenzene
Aqueous	EPA 8330B	HPLC	1,3-Dinitrobenzene
Aqueous	EPA 8330B	HPLC	2,4,6-Trinitrotoluene
Aqueous	EPA 8330B	HPLC	2,4-Dinitrotoluene
Aqueous	EPA 8330B	HPLC	2,6-Dinitrotoluene
Aqueous	EPA 8330B	HPLC	2-Amino-4,6-Trinitrotoluene
Aqueous	EPA 8330B	HPLC	2-Nitrotoluene
Aqueous	EPA 8330B	HPLC	3-Nitrotoluene
Aqueous	EPA 8330B	HPLC	4-Amino-2,6-Trinitrotoluene
Aqueous	EPA 8330B	HPLC	4-Nitrotoluene
Aqueous	EPA 8330B	HPLC	HMX
Aqueous	EPA 8330B	HPLC	Nitrobenzene
Aqueous	EPA 8330B	HPLC	Nitroglycerine
Aqueous	EPA 8330B	HPLC	PETN



Certificate of Accreditation: Supplement

Torrent Laboratory, Inc

483 Sinclair Frontage Road, Milpitas, CA 95035
Contact Name: Mukesh Jani Phone: 408-263-5258

Accreditation is granted to the facility to perform the following testing:

Matrix	Standard/Method	Technology	Analyte
Aqueous	EPA 8330B	HPLC	RDX
Aqueous	EPA 8330B	HPLC	Tetryl
Aqueous	EPA 9014	UV/Vis	Total Cyanide
Aqueous	EPA 9040C	Potentiometric	pH
Aqueous	EPA 9056A	IC-COND	Bromide
Aqueous	EPA 9056A	IC-COND	Chloride
Aqueous	EPA 9056A	IC-COND	Fluoride
Aqueous	EPA 9056A	IC-COND	Nitrate as N
Aqueous	EPA 9056A	IC-COND	Nitrite as N
Aqueous	EPA 9056A	IC-COND	Sulfate
Aqueous	EPA 9060A	TOC Combustion	Total Organic Carbon (TOC)
Aqueous	PFAS by LC/MS/MS Compliant with Table B-15 of QSM 5.4 or Latest Version	LC-MS-MS	11Cl-PF3ONS (F-53B Major)
Aqueous	PFAS by LC/MS/MS Compliant with Table B-15 of QSM 5.4 or Latest Version	LC-MS-MS	2-(N-Ethylperfluorooctanesulfonamido) acetic acid (N-EtFOSAA)
Aqueous	PFAS by LC/MS/MS Compliant with Table B-15 of QSM 5.4 or Latest Version	LC-MS-MS	2-(N- Methylperfluorooctanesulfonamido)acetic acid (N-MeFOSSA)
Aqueous	PFAS by LC/MS/MS Compliant with Table B-15 of QSM 5.4 or Latest Version	LC-MS-MS	4,8-dioxa-3H-perfluorononanoate (ADONA)
Aqueous	PFAS by LC/MS/MS Compliant with Table B-15 of QSM 5.4 or Latest Version	LC-MS-MS	9CL-PF3ONS (F-53B Minor)
Aqueous	PFAS by LC/MS/MS Compliant with Table B-15 of QSM 5.4 or Latest Version	LC-MS-MS	Fluorotelomer sulfonic Acid 10:2 (10:2 FTS)
Aqueous	PFAS by LC/MS/MS Compliant with Table B-15 of QSM 5.4 or Latest Version	LC-MS-MS	Fluorotelomer sulphonic acid 4:2 (4:2 FTS)
Aqueous	PFAS by LC/MS/MS Compliant with Table B-15 of QSM 5.4 or Latest Version	LC-MS-MS	Fluorotelomer sulphonic acid 6:2 (6:2 FTS)
Aqueous	PFAS by LC/MS/MS Compliant with Table B-15 of QSM 5.4 or Latest Version	LC-MS-MS	Fluorotelomer sulphonic acid 8:2 (8:2 FTS)
Aqueous	PFAS by LC/MS/MS Compliant with Table B-15 of QSM 5.4 or Latest Version	LC-MS-MS	HFPO-DA (Gen-X)



Certificate of Accreditation: Supplement

Torrent Laboratory, Inc

483 Sinclair Frontage Road, Milpitas, CA 95035
Contact Name: Mukesh Jani Phone: 408-263-5258

Accreditation is granted to the facility to perform the following testing:

Matrix	Standard/Method	Technology	Analyte
Aqueous	PFAS by LC/MS/MS Compliant with Table B-15 of QSM 5.4 or Latest Version	LC-MS-MS	N-Methylperfluorooctane sulfonamidoacetic acid (N-MFOSSA-M)
Aqueous	PFAS by LC/MS/MS Compliant with Table B-15 of QSM 5.4 or Latest Version	LC-MS-MS	Nonafluoro-3,6-dioxaheptanoic acid (N-EtFOSA-M)
Aqueous	PFAS by LC/MS/MS Compliant with Table B-15 of QSM 5.4 or Latest Version	LC-MS-MS	Perfluoro(2-ethoxyethane) sulfonic acid (PFEESA)
Aqueous	PFAS by LC/MS/MS Compliant with Table B-15 of QSM 5.4 or Latest Version	LC-MS-MS	Perfluoro-1-octanesulfonamide (FOSA)
Aqueous	PFAS by LC/MS/MS Compliant with Table B-15 of QSM 5.4 or Latest Version	LC-MS-MS	Perfluoro-3-methoxypropanoic acid (PFMOPrA)
Aqueous	PFAS by LC/MS/MS Compliant with Table B-15 of QSM 5.4 or Latest Version	LC-MS-MS	Perfluoro-4-methoxybutanoic acid (PFMOBA)
Aqueous	PFAS by LC/MS/MS Compliant with Table B-15 of QSM 5.4 or Latest Version	LC-MS-MS	Perfluorobutanesulfonamide (PFBSA)
Aqueous	PFAS by LC/MS/MS Compliant with Table B-15 of QSM 5.4 or Latest Version	LC-MS-MS	Perfluorobutanesulfonic acid (PFBS)
Aqueous	PFAS by LC/MS/MS Compliant with Table B-15 of QSM 5.4 or Latest Version	LC-MS-MS	Perfluorohexadecanoic acid (PFHxDA)
Aqueous	PFAS by LC/MS/MS Compliant with Table B-15 of QSM 5.4 or Latest Version	LC-MS-MS	Perfluorohexanesulfonamide (PFHXSA)
Aqueous	PFAS by LC/MS/MS Compliant with Table B-15 of QSM 5.4 or Latest Version	LC-MS-MS	Perfluorohexanesulfonic acid (PFHxS)
Aqueous	PFAS by LC/MS/MS Compliant with Table B-15 of QSM 5.4 or Latest Version	LC-MS-MS	Perfluoro-n-butanoic acid (PFBA)
Aqueous	PFAS by LC/MS/MS Compliant with Table B-15 of QSM 5.4 or Latest Version	LC-MS-MS	Perfluoro-n-butanoic acid (PFBA)
Aqueous	PFAS by LC/MS/MS Compliant with Table B-15 of QSM 5.4 or Latest Version	LC-MS-MS	Perfluoro-n-decanoic acid (PFDA)
Aqueous	PFAS by LC/MS/MS Compliant with Table B-15 of QSM 5.4 or Latest Version	LC-MS-MS	Perfluoro-n-dodecanoic acid (PFDoA)



Certificate of Accreditation: Supplement

Torrent Laboratory, Inc

483 Sinclair Frontage Road, Milpitas, CA 95035
Contact Name: Mukesh Jani Phone: 408-263-5258

Accreditation is granted to the facility to perform the following testing:

Matrix	Standard/Method	Technology	Analyte
Aqueous	PFAS by LC/MS/MS Compliant with Table B-15 of QSM 5.4 or Latest Version	LC-MS-MS	Perfluoro-n-heptanoic acid (PFHpA)
Aqueous	PFAS by LC/MS/MS Compliant with Table B-15 of QSM 5.4 or Latest Version	LC-MS-MS	Perfluoro-n-hexanoic acid (PFHxA)
Aqueous	PFAS by LC/MS/MS Compliant with Table B-15 of QSM 5.4 or Latest Version	LC-MS-MS	Perfluoro-n-nonanoic acid (PFNA)
Aqueous	PFAS by LC/MS/MS Compliant with Table B-15 of QSM 5.4 or Latest Version	LC-MS-MS	Perfluoro-n-octanoic acid (PFOA)
Aqueous	PFAS by LC/MS/MS Compliant with Table B-15 of QSM 5.4 or Latest Version	LC-MS-MS	Perfluorononanesulfonic acid (PFNS)
Aqueous	PFAS by LC/MS/MS Compliant with Table B-15 of QSM 5.4 or Latest Version	LC-MS-MS	Perfluoro-n-pentanoic acid (PFPeA)
Aqueous	PFAS by LC/MS/MS Compliant with Table B-15 of QSM 5.4 or Latest Version	LC-MS-MS	Perfluoro-n-pentanoic acid (PFPeA)
Aqueous	PFAS by LC/MS/MS Compliant with Table B-15 of QSM 5.4 or Latest Version	LC-MS-MS	Perfluoro-n-tetradecanoic acid (PFTeDA)
Aqueous	PFAS by LC/MS/MS Compliant with Table B-15 of QSM 5.4 or Latest Version	LC-MS-MS	Perfluoro-n-tridecanoic acid (PFTrDA)
Aqueous	PFAS by LC/MS/MS Compliant with Table B-15 of QSM 5.4 or Latest Version	LC-MS-MS	Perfluoro-n-undecanoic acid (PFUdA)
Aqueous	PFAS by LC/MS/MS Compliant with Table B-15 of QSM 5.4 or Latest Version	LC-MS-MS	Perfluorooctadecanoic acid (PFODA)
Aqueous	PFAS by LC/MS/MS Compliant with Table B-15 of QSM 5.4 or Latest Version	LC-MS-MS	Perfluoropentanesulfonic acid (PFPeS)
Aqueous	PFAS by LC/MS/MS Compliant with Table B-15 of QSM 5.4 or Latest Version	LC-MS-MS	Potassium perfluorooctanesulfonate (PFOS)
Aqueous	PFAS by LC/MS/MS Compliant with Table B-15 of QSM 5.4 or Latest Version	LC-MS-MS	sodium perfluoro-1-heptanesulfonate (PFHpS)
Aqueous	SM 2130 B	Nephelometer	Turbidity
Aqueous	SM 2340 B	ICP-AES	Hardness by Calculation
Aqueous	SM 2510 B	Conductivity Meter	Specific Conductance



Certificate of Accreditation: Supplement

Torrent Laboratory, Inc

483 Sinclair Frontage Road, Milpitas, CA 95035
 Contact Name: Mukesh Jani Phone: 408-263-5258

Accreditation is granted to the facility to perform the following testing:

Matrix	Standard/Method	Technology	Analyte
Aqueous	SM 2540 B	Gravimetric	Total Solids
Aqueous	SM 2540 C	Gravimetric	Total Dissolved Solids
Aqueous	SM 2540 D	Gravimetric	Total Suspended Solids
Aqueous	SM 4500 NH3-D	Potentiometric	Ammonia as N
Aqueous	SM4500-CN-E	UV/Vis	Total Cyanide
Solid	ASTM D2216	Gravimetric	Moisture Content
Solid	Draft Method EPA 1633	LC-MS-MS	PFBA
Solid	Draft Method EPA 1633	LC-MS-MS	PF4OPeA [PFMPA]
Solid	Draft Method EPA 1633	LC-MS-MS	FPrPA [3:3 FTCA]
Solid	Draft Method EPA 1633	LC-MS-MS	PFPeA
Solid	Draft Method EPA 1633	LC-MS-MS	PF5OHxA [PFMBA]
Solid	Draft Method EPA 1633	LC-MS-MS	4:2FTS
Solid	Draft Method EPA 1633	LC-MS-MS	3,6-OPFHpA [NFDHA]
Solid	Draft Method EPA 1633	LC-MS-MS	PFHxA
Solid	Draft Method EPA 1633	LC-MS-MS	PFBS
Solid	Draft Method EPA 1633	LC-MS-MS	HFPO-DA [Gen-X]
Solid	Draft Method EPA 1633	LC-MS-MS	FPePA [5:3 FTCA]
Solid	Draft Method EPA 1633	LC-MS-MS	PFEESA
Solid	Draft Method EPA 1633	LC-MS-MS	PFHpA
Solid	Draft Method EPA 1633	LC-MS-MS	ADONA
Solid	Draft Method EPA 1633	LC-MS-MS	PFPeS
Solid	Draft Method EPA 1633	LC-MS-MS	6:2FTS
Solid	Draft Method EPA 1633	LC-MS-MS	PFOA
Solid	Draft Method EPA 1633	LC-MS-MS	FHpPA [7:3 FTCA]
Solid	Draft Method EPA 1633	LC-MS-MS	PFHxS
Solid	Draft Method EPA 1633	LC-MS-MS	PFNA
Solid	Draft Method EPA 1633	LC-MS-MS	8:2FTS
Solid	Draft Method EPA 1633	LC-MS-MS	PFHpS
Solid	Draft Method EPA 1633	LC-MS-MS	N-MeFOSAA
Solid	Draft Method EPA 1633	LC-MS-MS	PFDA
Solid	Draft Method EPA 1633	LC-MS-MS	N-EtFOSAA
Solid	Draft Method EPA 1633	LC-MS-MS	PFOS
Solid	Draft Method EPA 1633	LC-MS-MS	PFUdA
Solid	Draft Method EPA 1633	LC-MS-MS	9Cl-PF3ONS [F-53B Major]
Solid	Draft Method EPA 1633	LC-MS-MS	L-PFNS
Solid	Draft Method EPA 1633	LC-MS-MS	PFDoA



Certificate of Accreditation: Supplement

Torrent Laboratory, Inc

483 Sinclair Frontage Road, Milpitas, CA 95035
Contact Name: Mukesh Jani Phone: 408-263-5258

Accreditation is granted to the facility to perform the following testing:

Matrix	Standard/Method	Technology	Analyte
Solid	Draft Method EPA 1633	LC-MS-MS	PFOSA
Solid	Draft Method EPA 1633	LC-MS-MS	L-PFDS
Solid	Draft Method EPA 1633	LC-MS-MS	PFTrDA
Solid	Draft Method EPA 1633	LC-MS-MS	11Cl-PF3OUdS [F-53B Minor]
Solid	Draft Method EPA 1633	LC-MS-MS	PFTeDA
Solid	Draft Method EPA 1633	LC-MS-MS	PFDoS
Solid	Draft Method EPA 1633	LC-MS-MS	NMeFOSE
Solid	Draft Method EPA 1633	LC-MS-MS	N-MeFOSA
Solid	Draft Method EPA 1633	LC-MS-MS	NEtFOSE
Solid	Draft Method EPA 1633	LC-MS-MS	N-EtFOSA
Solid	EPA 1664B	Gravimetric	HEM
Solid	EPA 1664B	Gravimetric	HEM-SGT
Solid	EPA 1668B (M)	GC-MS-MS	PCB1 (2-Chlorobiphenyl)
Solid	EPA 1668B (M)	GC-MS-MS	PCB10 (2,6-Dichlorobiphenyl)
Solid	EPA 1668B (M)	GC-MS-MS	PCB101 (2,2',4,5,5'-Pentachlorobiphenyl)
Solid	EPA 1668B (M)	GC-MS-MS	PCB104 (2,2',4,6,6'-Pentachlorobiphenyl)
Solid	EPA 1668B (M)	GC-MS-MS	PCB105 (2,3,3',4,4'-Pentachlorobiphenyl)
Solid	EPA 1668B (M)	GC-MS-MS	PCB110 (2,3,3',4',6-Pentachlorobiphenyl)
Solid	EPA 1668B (M)	GC-MS-MS	PCB114 (2,3,4,4',5-Pentachlorobiphenyl)
Solid	EPA 1668B (M)	GC-MS-MS	PCB118 (2,3',4,4',5-Pentachlorobiphenyl)
Solid	EPA 1668B (M)	GC-MS-MS	PCB119 (2,3',4,4',6-Pentachlorobiphenyl)
Solid	EPA 1668B (M)	GC-MS-MS	PCB123 (2,3',4,4',5'-Pentachlorobiphenyl)
Solid	EPA 1668B (M)	GC-MS-MS	PCB126 (3,3',4,4',5-Pentachlorobiphenyl)
Solid	EPA 1668B (M)	GC-MS-MS	PCB128 (2,2',3,3',4,4'-Hexachlorobiphenyl)
Solid	EPA 1668B (M)	GC-MS-MS	PCB129 (2,2',3,3',4,5-Hexachlorobiphenyl)
Solid	EPA 1668B (M)	GC-MS-MS	PCB135 (2,2',3,3',5,6'-Hexachlorobiphenyl)
Solid	EPA 1668B (M)	GC-MS-MS	PCB137 (2,2',3,4,4',5-Hexachlorobiphenyl)
Solid	EPA 1668B (M)	GC-MS-MS	PCB138 (2,2',3,4,4',5'-Hexachlorobiphenyl)
Solid	EPA 1668B (M)	GC-MS-MS	PCB141 (2,2',3,4,55'-Hexachlorobiphenyl)
Solid	EPA 1668B (M)	GC-MS-MS	PCB149 (2,2',3,4',5',6-Hexachlorobiphenyl)
Solid	EPA 1668B (M)	GC-MS-MS	PCB15 (4,4'-Dichlorobiphenyl)
Solid	EPA 1668B (M)	GC-MS-MS	PCB151 (2,2',3,5,5',6-Hexachlorobiphenyl)
Solid	EPA 1668B (M)	GC-MS-MS	PCB153 (2,2',4,4',5,5'-Hexachlorobiphenyl)
Solid	EPA 1668B (M)	GC-MS-MS	PCB155 (2,2',4,4',6,6'-Hexachlorobiphenyl)
Solid	EPA 1668B (M)	GC-MS-MS	PCB156 (2,3,3',4,4',5-Hexachlorobiphenyl)
Solid	EPA 1668B (M)	GC-MS-MS	PCB157 (2,3,3',4,4',5'-Hexachlorobiphenyl)



Certificate of Accreditation: Supplement

Torrent Laboratory, Inc

483 Sinclair Frontage Road, Milpitas, CA 95035
Contact Name: Mukesh Jani Phone: 408-263-5258

Accreditation is granted to the facility to perform the following testing:

Matrix	Standard/Method	Technology	Analyte
Solid	EPA 1668B (M)	GC-MS-MS	PCB158 (2,3,3',4,4',6-Hexachlorobiphenyl)
Solid	EPA 1668B (M)	GC-MS-MS	PCB16 (2,2',3-Trichlorobiphenyl)
Solid	EPA 1668B (M)	GC-MS-MS	PCB167 (2,3',4,4',5,5'-Hexachlorobiphenyl)
Solid	EPA 1668B (M)	GC-MS-MS	PCB168 (2,3',4,4',5',6-Hexachlorobiphenyl)
Solid	EPA 1668B (M)	GC-MS-MS	PCB169 (3,3',4,4',5,5'-Hexachlorobiphenyl)
Solid	EPA 1668B (M)	GC-MS-MS	PCB170 (2,2',3,3',4,4',5-Heptachlorobiphenyl)
Solid	EPA 1668B (M)	GC-MS-MS	PCB171 (2,2',3,3',4,4',6-Heptachlorobiphenyl)
Solid	EPA 1668B (M)	GC-MS-MS	PCB174 (2,2',3,3',4,5,6'-Heptachlorobiphenyl)
Solid	EPA 1668B (M)	GC-MS-MS	PCB177 (2,2',3,3',4,5',6'-Heptachlorobiphenyl)
Solid	EPA 1668B (M)	GC-MS-MS	PCB178 (2,2',3,3',5,5',6-Heptachlorobiphenyl)
Solid	EPA 1668B (M)	GC-MS-MS	PCB18 (2,2',5-Trichlorobiphenyl)
Solid	EPA 1668B (M)	GC-MS-MS	PCB180 (2,2',3,4,4',5,5'-Heptachlorobiphenyl)
Solid	EPA 1668B (M)	GC-MS-MS	PCB183 (2,2',3,4,4',5',6-Heptachlorobiphenyl)
Solid	EPA 1668B (M)	GC-MS-MS	PCB187 (2,2',3,4',5,5',6-Heptachlorobiphenyl)
Solid	EPA 1668B (M)	GC-MS-MS	PCB188 (2,2',3,4',5,6,6'-Heptachlorobiphenyl)
Solid	EPA 1668B (M)	GC-MS-MS	PCB189 (2,3,3',4,4',5,5'-Heptachlorobiphenyl)
Solid	EPA 1668B (M)	GC-MS-MS	PCB19 (2,2',6-Trichlorobiphenyl)
Solid	EPA 1668B (M)	GC-MS-MS	PCB191 (2,3,3',4,4',5',6-Heptachlorobiphenyl)
Solid	EPA 1668B (M)	GC-MS-MS	PCB193 (2,3,3',4',5,5',6-Heptachlorobiphenyl)
Solid	EPA 1668B (M)	GC-MS-MS	PCB194 (2,2',3,3',4,4',5,5'-Octachlorobiphenyl)
Solid	EPA 1668B (M)	GC-MS-MS	PCB199 (2,2',3,3',4,5,5',6'-Octachlorobiphenyl)
Solid	EPA 1668B (M)	GC-MS-MS	PCB200 (2,2',3,3',4,5,6,6'-Octachlorobiphenyl)
Solid	EPA 1668B (M)	GC-MS-MS	PCB201 (2,2',3,3',4,5',6,6'-Octachlorobiphenyl)
Solid	EPA 1668B (M)	GC-MS-MS	PCB202 (2,2',3,3',5,5',6,6'-Octachlorobiphenyl)
Solid	EPA 1668B (M)	GC-MS-MS	PCB203 (2,2',3,4,4',5,5',6-Octachlorobiphenyl)



Certificate of Accreditation: Supplement

Torrent Laboratory, Inc

483 Sinclair Frontage Road, Milpitas, CA 95035
Contact Name: Mukesh Jani Phone: 408-263-5258

Accreditation is granted to the facility to perform the following testing:

Matrix	Standard/Method	Technology	Analyte
Solid	EPA 1668B (M)	GC-MS-MS	PCB205 (2,3,3',4,4',5,5',6-Octachlorobiphenyl)
Solid	EPA 1668B (M)	GC-MS-MS	PCB206 (2,2',3,3',4,4',5,5',6-Nonachlorobiphenyl)
Solid	EPA 1668B (M)	GC-MS-MS	PCB207 (2,2',3,3',4,4',5,6,6'-Nonachlorobiphenyl)
Solid	EPA 1668B (M)	GC-MS-MS	PCB208 (2,2',3,3',4,5,5',6,6'-Nonachlorobiphenyl)
Solid	EPA 1668B (M)	GC-MS-MS	PCB209 (Decachlorobiphenyl)
Solid	EPA 1668B (M)	GC-MS-MS	PCB22 (2,3,4'-Trichlorobiphenyl)
Solid	EPA 1668B (M)	GC-MS-MS	PCB28 (2,4,4'-Trichlorobiphenyl)
Solid	EPA 1668B (M)	GC-MS-MS	PCB3 (4-Chlorobiphenyl)
Solid	EPA 1668B (M)	GC-MS-MS	PCB31 (2,4',5-Trichlorobiphenyl)
Solid	EPA 1668B (M)	GC-MS-MS	PCB33 (2,3',4'-Trichlorobiphenyl)
Solid	EPA 1668B (M)	GC-MS-MS	PCB37 (3,4,4'-Trichlorobiphenyl)
Solid	EPA 1668B (M)	GC-MS-MS	PCB4 (2,2'-Dichlorobiphenyl)
Solid	EPA 1668B (M)	GC-MS-MS	PCB40 (2,2',3,3'-Tetrachlorobiphenyl)
Solid	EPA 1668B (M)	GC-MS-MS	PCB41 (2,2',3,4-Tetrachlorobiphenyl)
Solid	EPA 1668B (M)	GC-MS-MS	PCB44 (2,2',3,5'-Tetrachlorobiphenyl)
Solid	EPA 1668B (M)	GC-MS-MS	PCB49 (2,2',4,5'-Tetrachlorobiphenyl)
Solid	EPA 1668B (M)	GC-MS-MS	PCB52 (2,2',5,5'-Tetrachlorobiphenyl)
Solid	EPA 1668B (M)	GC-MS-MS	PCB54 (2,2',6,6'-Tetrachlorobiphenyl)
Solid	EPA 1668B (M)	GC-MS-MS	PCB6 (2,3'-Dichlorobiphenyl)
Solid	EPA 1668B (M)	GC-MS-MS	PCB60 (2,3,4,4'-Tetrachlorobiphenyl)
Solid	EPA 1668B (M)	GC-MS-MS	PCB66 (2,3',4,4'-Tetrachlorobiphenyl)
Solid	EPA 1668B (M)	GC-MS-MS	PCB70 (2,3',4',5-Tetrachlorobiphenyl)
Solid	EPA 1668B (M)	GC-MS-MS	PCB74 (2,4,4',5-Tetrachlorobiphenyl)
Solid	EPA 1668B (M)	GC-MS-MS	PCB77 (3,3',4,4'-Tetrachlorobiphenyl)
Solid	EPA 1668B (M)	GC-MS-MS	PCB8 (2,4'-Dichlorobiphenyl)
Solid	EPA 1668B (M)	GC-MS-MS	PCB81 (3,4,4',5-Tetrachlorobiphenyl)
Solid	EPA 1668B (M)	GC-MS-MS	PCB84 (2,2',3,3',6-Pentachlorobiphenyl)
Solid	EPA 1668B (M)	GC-MS-MS	PCB85 (2,2',3,4,4'-Pentachlorobiphenyl)
Solid	EPA 1668B (M)	GC-MS-MS	PCB87 (2,2',3,4,5'-Pentachlorobiphenyl)
Solid	EPA 1668B (M)	GC-MS-MS	PCB90 (2,2',3,4',5-Pentachlorobiphenyl)
Solid	EPA 1668B (M)	GC-MS-MS	PCB95 (2,2',3,5',6-Pentachlorobiphenyl)
Solid	EPA 1668B (M)	GC-MS-MS	PCB97 (2,2',3,4',5'-Pentachlorobiphenyl)
Solid	EPA 1668B (M)	GC-MS-MS	PCB99 (2,2',4,4',5-Pentachlorobiphenyl)
Solid	EPA 314.0 (M)	IC	Perchlorate



Certificate of Accreditation: Supplement

Torrent Laboratory, Inc

483 Sinclair Frontage Road, Milpitas, CA 95035
Contact Name: Mukesh Jani Phone: 408-263-5258

Accreditation is granted to the facility to perform the following testing:

Matrix	Standard/Method	Technology	Analyte
Solid	EPA 6010C	ICP-AES	Aluminum
Solid	EPA 6010C	ICP-AES	Antimony
Solid	EPA 6010C	ICP-AES	Arsenic
Solid	EPA 6010C	ICP-AES	Barium
Solid	EPA 6010C	ICP-AES	Beryllium
Solid	EPA 6010C	ICP-AES	Cadmium
Solid	EPA 6010C	ICP-AES	Calcium
Solid	EPA 6010C	ICP-AES	Chromium
Solid	EPA 6010C	ICP-AES	Cobalt
Solid	EPA 6010C	ICP-AES	Copper
Solid	EPA 6010C	ICP-AES	Iron
Solid	EPA 6010C	ICP-AES	Lead
Solid	EPA 6010C	ICP-AES	Magnesium
Solid	EPA 6010C	ICP-AES	Manganese
Solid	EPA 6010C	ICP-AES	Molybdenum
Solid	EPA 6010C	ICP-AES	Nickel
Solid	EPA 6010C	ICP-AES	Selenium
Solid	EPA 6010C	ICP-AES	Silver
Solid	EPA 6010C	ICP-AES	Thallium
Solid	EPA 6010C	ICP-AES	Vanadium
Solid	EPA 6010C	ICP-AES	Zinc
Solid	EPA 6020A	ICP-MS	Aluminum
Solid	EPA 6020A	ICP-MS	Antimony
Solid	EPA 6020A	ICP-MS	Arsenic
Solid	EPA 6020A	ICP-MS	Barium
Solid	EPA 6020A	ICP-MS	Beryllium
Solid	EPA 6020A	ICP-MS	Cadmium
Solid	EPA 6020A	ICP-MS	Calcium
Solid	EPA 6020A	ICP-MS	Chromium
Solid	EPA 6020A	ICP-MS	Cobalt
Solid	EPA 6020A	ICP-MS	Copper
Solid	EPA 6020A	ICP-MS	Iron
Solid	EPA 6020A	ICP-MS	Lead
Solid	EPA 6020A	ICP-MS	Magnesium
Solid	EPA 6020A	ICP-MS	Manganese
Solid	EPA 6020A	ICP-MS	Molybdenum



Certificate of Accreditation: Supplement

Torrent Laboratory, Inc

483 Sinclair Frontage Road, Milpitas, CA 95035
Contact Name: Mukesh Jani Phone: 408-263-5258

Accreditation is granted to the facility to perform the following testing:

Matrix	Standard/Method	Technology	Analyte
Solid	EPA 6020A	ICP-MS	Nickel
Solid	EPA 6020A	ICP-MS	Selenium
Solid	EPA 6020A	ICP-MS	Silver
Solid	EPA 6020A	ICP-MS	Thallium
Solid	EPA 6020A	ICP-MS	Vanadium
Solid	EPA 6020A	ICP-MS	Zinc
Solid	EPA 6020B	ICP-MS	Aluminum
Solid	EPA 6020B	ICP-MS	Antimony
Solid	EPA 6020B	ICP-MS	Arsenic
Solid	EPA 6020B	ICP-MS	Barium
Solid	EPA 6020B	ICP-MS	Beryllium
Solid	EPA 6020B	ICP-MS	Cadmium
Solid	EPA 6020B	ICP-MS	Chromium
Solid	EPA 6020B	ICP-MS	Cobalt
Solid	EPA 6020B	ICP-MS	Copper
Solid	EPA 6020B	ICP-MS	Iron
Solid	EPA 6020B	ICP-MS	Lead
Solid	EPA 6020B	ICP-MS	Manganese
Solid	EPA 6020B	ICP-MS	Molybdenum
Solid	EPA 6020B	ICP-MS	Nickel
Solid	EPA 6020B	ICP-MS	Selenium
Solid	EPA 6020B	ICP-MS	Silver
Solid	EPA 6020B	ICP-MS	Thallium
Solid	EPA 602 B	ICP-MS	Vanadium
Solid	EPA 6020B	ICP-MS	Zinc
Solid	EPA 6850	LC-MS-MS	Perchlorate
Solid	EPA 7199 (M)	IC-UV	Hexavalent Chromium
Solid	EPA 7471B	CVAA	Mercury
Solid	EPA 8015B (M)	GC-FID	DRO
Solid	EPA 8015B (M)	GC-FID	RRO
Solid	EPA 8015B (M)	GC-FID	TPH as Diesel
Solid	EPA 8015B (M)	GC-FID	TPH as Motor Oil
Solid	EPA 8081B	GC-ECD	4,4-DDD
Solid	EPA 8081B	GC-ECD	4,4-DDE
Solid	EPA 8081B	GC-ECD	4,4-DDT
Solid	EPA 8081B	GC-ECD	Aldrin



Certificate of Accreditation: Supplement

Torrent Laboratory, Inc

483 Sinclair Frontage Road, Milpitas, CA 95035
Contact Name: Mukesh Jani Phone: 408-263-5258

Accreditation is granted to the facility to perform the following testing:

Matrix	Standard/Method	Technology	Analyte
Solid	EPA 8081B	GC-ECD	alpha-BHC
Solid	EPA 8081B	GC-ECD	alpha-Chlordane
Solid	EPA 8081B	GC-ECD	beta-BHC
Solid	EPA 8081B	GC-ECD	Chlordane
Solid	EPA 8081B	GC-ECD	delta-BHC
Solid	EPA 8081B	GC-ECD	Dieldrin
Solid	EPA 8081B	GC-ECD	Endosulfan I
Solid	EPA 8081B	GC-ECD	Endosulfan II
Solid	EPA 8081B	GC-ECD	endosulfan Sulfate
Solid	EPA 8081B	GC-ECD	Endrin
Solid	EPA 8081B	GC-ECD	Endrin Aldehyde
Solid	EPA 8081B	GC-ECD	Endrin Ketone
Solid	EPA 8081B	GC-ECD	gamma-BHC
Solid	EPA 8081B	GC-ECD	gamma-Chlordane
Solid	EPA 8081B	GC-ECD	Heptachlor
Solid	EPA 8081B	GC-ECD	Heptachlor Epoxide
Solid	EPA 8081B	GC-ECD	Methoxychlor
Solid	EPA 8081B	GC-ECD	Toxaphene
Solid	EPA 8082A	GC-ECD	Aroclor 1016
Solid	EPA 8082A	GC-ECD	Aroclor 1221
Solid	EPA 8082A	GC-ECD	Aroclor 1232
Solid	EPA 8082A	GC-ECD	Aroclor 1242
Solid	EPA 8082A	GC-ECD	Aroclor 1248
Solid	EPA 8082A	GC-ECD	Aroclor 1254
Solid	EPA 8082A	GC-ECD	Aroclor 1260
Solid	EPA 8260B	GC-MS	1,1,1,2-Tetrachloroethane
Solid	EPA 8260B	GC-MS	1,1,1-Trichloroethane
Solid	EPA 8260B	GC-MS	1,1,2,2-Tetrachloroethane
Solid	EPA 8260B	GC-MS	1,1,2-Trichloroethane
Solid	EPA 8260B	GC-MS	1,1-Dichloroethane
Solid	EPA 8260B	GC-MS	1,1-Dichloroethene
Solid	EPA 8260B	GC-MS	1,1-Dichloropropene
Solid	EPA 8260B	GC-MS	1,2,3-Trichlorobenzene
Solid	EPA 8260B	GC-MS	1,2,3-Trichloropropane
Solid	EPA 8260B	GC-MS	1,2,4-Trichlorobenzene
Solid	EPA 8260B	GC-MS	1,2,4-Trimethylbenzene



Certificate of Accreditation: Supplement

Torrent Laboratory, Inc

483 Sinclair Frontage Road, Milpitas, CA 95035
Contact Name: Mukesh Jani Phone: 408-263-5258

Accreditation is granted to the facility to perform the following testing:

Matrix	Standard/Method	Technology	Analyte
Solid	EPA 8260B	GC-MS	1,2-Dibromo-3-Chloropropane
Solid	EPA 8260B	GC-MS	1,2-Dibromoethane
Solid	EPA 8260B	GC-MS	1,2-Dichlorobenzene
Solid	EPA 8260B	GC-MS	1,2-Dichloroethane
Solid	EPA 8260B	GC-MS	1,2-Dichloropropane
Solid	EPA 8260B	GC-MS	1,3,5-Trimethylbenzene
Solid	EPA 8260B	GC-MS	1,3-Dichlorobenzene
Solid	EPA 8260B	GC-MS	1,3-Dichloropropane
Solid	EPA 8260B	GC-MS	1,4-Dichlorobenzene
Solid	EPA 8260B	GC-MS	2,2-Dichloropropane
Solid	EPA 8260B	GC-MS	2-Butanone
Solid	EPA 8260B	GC-MS	2-Chlorotoluene
Solid	EPA 8260B	GC-MS	2-Hexanone
Solid	EPA 8260B	GC-MS	4-Chlorotoluene
Solid	EPA 8260B	GC-MS	4-Methyl-2-Pentanone
Solid	EPA 8260B	GC-MS	Acetone
Solid	EPA 8260B	GC-MS	Benzene
Solid	EPA 8260B	GC-MS	Bromobenzene
Solid	EPA 8260B	GC-MS	Bromochloromethane
Solid	EPA 8260B	GC-MS	Bromodichloromethane
Solid	EPA 8260B	GC-MS	Bromoform
Solid	EPA 8260B	GC-MS	Bromomethane
Solid	EPA 8260B	GC-MS	Carbon disulfide
Solid	EPA 8260B	GC-MS	Carbon Tetrachloride
Solid	EPA 8260B	GC-MS	Chlorobenzene
Solid	EPA 8260B	GC-MS	Chloroethane
Solid	EPA 8260B	GC-MS	Chloroform
Solid	EPA 8260B	GC-MS	Chloromethane
Solid	EPA 8260B	GC-MS	cis-1,2-Dichloroethene
Solid	EPA 8260B	GC-MS	cis-1,3-Dichloropropene
Solid	EPA 8260B	GC-MS	Dibromochloromethane
Solid	EPA 8260B	GC-MS	Dibromomethane
Solid	EPA 8260B	GC-MS	Dichlorodifluoromethane
Solid	EPA 8260B	GC-MS	Diisopropyl ether (DIPE)
Solid	EPA 8260B	GC-MS	ETBE
Solid	EPA 8260B	GC-MS	Ethyl Benzene



Certificate of Accreditation: Supplement

Torrent Laboratory, Inc

483 Sinclair Frontage Road, Milpitas, CA 95035
Contact Name: Mukesh Jani Phone: 408-263-5258

Accreditation is granted to the facility to perform the following testing:

Matrix	Standard/Method	Technology	Analyte
Solid	EPA 8260B	GC-MS	Freon 113
Solid	EPA 8260B	GC-MS	GRO
Solid	EPA 8260B	GC-MS	Hexachlorobutadiene
Solid	EPA 8260B	GC-MS	Isopropyl Benzene
Solid	EPA 8260B	GC-MS	m,p-Xylene
Solid	EPA 8260B	GC-MS	Methylene Chloride
Solid	EPA 8260B	GC-MS	MTBE
Solid	EPA 8260B	GC-MS	Naphthalene
Solid	EPA 8260B	GC-MS	n-Butylbenzene
Solid	EPA 8260B	GC-MS	n-Propylbenzene
Solid	EPA 8260B	GC-MS	o-Xylene
Solid	EPA 8260B	GC-MS	p-Isopropyltoluene
Solid	EPA 8260B	GC-MS	sec-Butyl Benzene
Solid	EPA 8260B	GC-MS	Styrene
Solid	EPA 8260B	GC-MS	TAME
Solid	EPA 8260B	GC-MS	tert-Butanol
Solid	EPA 8260B	GC-MS	tert-Butylbenzene
Solid	EPA 8260B	GC-MS	Tetrachloroethylene
Solid	EPA 8260B	GC-MS	Toluene
Solid	EPA 8260B	GC-MS	TPH as Gasoline
Solid	EPA 8260B	GC-MS	trans-1,2-Dichloroethene
Solid	EPA 8260B	GC-MS	trans-1,3-Dichloropropene
Solid	EPA 8260B	GC-MS	Trichloroethylene
Solid	EPA 8260B	GC-MS	Trichlorofluoromethane
Solid	EPA 8260B	GC-MS	Vinyl Chloride
Solid	EPA 8270D	GC-MS	1,2,4-Trichlorobenzene
Solid	EPA 8270D	GC-MS	1,2-Dichlorobenzene
Solid	EPA 8270D	GC-MS	1,2-Dinitrobenzene
Solid	EPA 8270D	GC-MS	1,3-Dichlorobenzene
Solid	EPA 8270D	GC-MS	1,3-Dinitrobenzene
Solid	EPA 8270D	GC-MS	1,4-Dichlorobenzene
Solid	EPA 8270D	GC-MS	1,4-Dinitrobenzene
Solid	EPA 8270D	GC-MS	1-Methylnaphthalene
Solid	EPA 8270D	GC-MS	2,3,4,6-Tetrachlorophenol
Solid	EPA 8270D	GC-MS	2,3,5,6-Tetrachlorophenol
Solid	EPA 8270D	GC-MS	2,4,5-Trichlorophenol



Certificate of Accreditation: Supplement

Torrent Laboratory, Inc

483 Sinclair Frontage Road, Milpitas, CA 95035
Contact Name: Mukesh Jani Phone: 408-263-5258

Accreditation is granted to the facility to perform the following testing:

Matrix	Standard/Method	Technology	Analyte
Solid	EPA 8270D	GC-MS	2,4,6-Trichlorophenol
Solid	EPA 8270D	GC-MS	2,4-Dichlorophenol
Solid	EPA 8270D	GC-MS	2,4-Dimethylphenol
Solid	EPA 8270D	GC-MS	2,4-Dinitrophenol
Solid	EPA 8270D	GC-MS	2,4-Dinitrotoluene
Solid	EPA 8270D	GC-MS	2,6-Dichlorophenol
Solid	EPA 8270D	GC-MS	2,6-Dinitrotoluene
Solid	EPA 8270D	GC-MS	2-Chloronaphthalene
Solid	EPA 8270D	GC-MS	2-Chlorophenol
Solid	EPA 8270D	GC-MS	2-Methylnaphthalene
Solid	EPA 8270D	GC-MS	2-Methylphenol (o-Cresol)
Solid	EPA 8270D	GC-MS	2-Nitroaniline
Solid	EPA 8270D	GC-MS	2-Nitrophenol
Solid	EPA 8270D	GC-MS	3,3-Dichlorobenzidine
Solid	EPA 8270D	GC-MS	3-/4-Methylphenol (p-/m-Cresol)
Solid	EPA 8270D	GC-MS	3-Nitroaniline
Solid	EPA 8270D	GC-MS	4,6-Dinitro-2-methylphenol
Solid	EPA 8270D	GC-MS	4-Bromophenyl phenyl ether
Solid	EPA 8270D	GC-MS	4-Chloro-3-methylphenol
Solid	EPA 8270D	GC-MS	4-Chloroaniline
Solid	EPA 8270D	GC-MS	4-Chlorophenyl phenyl ether
Solid	EPA 8270D	GC-MS	4-Nitroaniline
Solid	EPA 8270D	GC-MS	4-Nitrophenol
Solid	EPA 8270D	GC-MS	Acenaphthene
Solid	EPA 8270D	GC-MS	Acenaphthylene
Solid	EPA 8270D	GC-MS	Aniline
Solid	EPA 8270D	GC-MS	Anthracene
Solid	EPA 8270D	GC-MS	Azobenzene
Solid	EPA 8270D	GC-MS	Benz[a]anthracene
Solid	EPA 8270D	GC-MS	Benzidine
Solid	EPA 8270D	GC-MS	Benzo[a]pyrene
Solid	EPA 8270D	GC-MS	Benzo[b]fluoranthene
Solid	EPA 8270D	GC-MS	Benzo[g,h,i] perylene
Solid	EPA 8270D	GC-MS	Benzo[k]fluoranthene
Solid	EPA 8270D	GC-MS	Benzoic Acid
Solid	EPA 8270D	GC-MS	Benzyl Alcohol



Certificate of Accreditation: Supplement

Torrent Laboratory, Inc

483 Sinclair Frontage Road, Milpitas, CA 95035
Contact Name: Mukesh Jani Phone: 408-263-5258

Accreditation is granted to the facility to perform the following testing:

Matrix	Standard/Method	Technology	Analyte
Solid	EPA 8270D	GC-MS	Benzyl butyl phthalate
Solid	EPA 8270D	GC-MS	Bis(2-Chloroethoxy)methane
Solid	EPA 8270D	GC-MS	Bis(2-chloroethyl) ether
Solid	EPA 8270D	GC-MS	Bis(2-chloroisopropyl)ether
Solid	EPA 8270D	GC-MS	Bis(2-Ethylhexyl) phthalate
Solid	EPA 8270D	GC-MS	Carbazole
Solid	EPA 8270D	GC-MS	Chrysene
Solid	EPA 8270D	GC-MS	Dibenz[a,h] anthracene
Solid	EPA 8270D	GC-MS	Dibenzofuran
Solid	EPA 8270D	GC-MS	Diethylphthalate
Solid	EPA 8270D	GC-MS	Dimethyl phthalate
Solid	EPA 8270D	GC-MS	Di-n-butylphthalate
Solid	EPA 8270D	GC-MS	Di-n-octyl phthalate
Solid	EPA 8270D	GC-MS	Diphenylamine
Solid	EPA 8270D	GC-MS	Fluoranthene
Solid	EPA 8270D	GC-MS	Fluorene
Solid	EPA 8270D	GC-MS	Hexachloro-1,3-butadiene
Solid	EPA 8270D	GC-MS	Hexachlorobenzene
Solid	EPA 8270D	GC-MS	Hexachlorocyclopentadiene
Solid	EPA 8270D	GC-MS	Hexachloroethane
Solid	EPA 8270D	GC-MS	Indeno[1,2,3-cd] pyrene
Solid	EPA 8270D	GC-MS	Isophorone
Solid	EPA 8270D	GC-MS	Naphthalene
Solid	EPA 8270D	GC-MS	Nitrobenzene
Solid	EPA 8270D	GC-MS	N-Nitrosodimethylamine
Solid	EPA 8270D	GC-MS	N-nitroso-di-n-propylamine
Solid	EPA 8270D	GC-MS	Pentachlorophenol
Solid	EPA 8270D	GC-MS	Phenanthrene
Solid	EPA 8270D	GC-MS	Phenol
Solid	EPA 8270D	GC-MS	Pyrene
Solid	EPA 8270D	GC-MS	Pyridine
Solid	EPA 8270D SIM	GC-MS	1-Methylnaphthalene
Solid	EPA 8270D SIM	GC-MS	2-Methylnaphthalene
Solid	EPA 8270D SIM	GC-MS	Acenaphthene
Solid	EPA 8270D SIM	GC-MS	Acenaphthylene
Solid	EPA 8270D SIM	GC-MS	Anthracene



Certificate of Accreditation: Supplement

Torrent Laboratory, Inc

483 Sinclair Frontage Road, Milpitas, CA 95035
Contact Name: Mukesh Jani Phone: 408-263-5258

Accreditation is granted to the facility to perform the following testing:

Matrix	Standard/Method	Technology	Analyte
Solid	EPA 8270D SIM	GC-MS	Azinphos-methyl
Solid	EPA 8270D SIM	GC-MS	Benz[a]anthracene
Solid	EPA 8270D SIM	GC-MS	Benzo[a]pyrene
Solid	EPA 8270D SIM	GC-MS	Benzo[b]fluoranthene
Solid	EPA 8270D SIM	GC-MS	Benzo[g,h,i]perylene
Solid	EPA 8270D SIM	GC-MS	Benzo[k]fluoranthene
Solid	EPA 8270D SIM	GC-MS	Carbophenothion
Solid	EPA 8270D SIM	GC-MS	Chlorpyrifos
Solid	EPA 8270D SIM	GC-MS	Chrysene
Solid	EPA 8270D SIM	GC-MS	Coumaphos
Solid	EPA 8270D SIM	GC-MS	DEF
Solid	EPA 8270D SIM	GC-MS	Demeton (Systox)
Solid	EPA 8270D SIM	GC-MS	Demeton-O
Solid	EPA 8270D SIM	GC-MS	Dibenz[a,h]anthracene
Solid	EPA 8270D SIM	GC-MS	Dichlorvos
Solid	EPA 8270D SIM	GC-MS	Dimethoate
Solid	EPA 8270D SIM	GC-MS	Disulfoton
Solid	EPA 8270D SIM	GC-MS	EPN
Solid	EPA 8270D SIM	GC-MS	Ethion
Solid	EPA 8270D SIM	GC-MS	Ethoprophos
Solid	EPA 8270D SIM	GC-MS	Famfur
Solid	EPA 8270D SIM	GC-MS	Fensulfothion
Solid	EPA 8270D SIM	GC-MS	Fenthion
Solid	EPA 8270D SIM	GC-MS	Fluoranthene
Solid	EPA 8270D SIM	GC-MS	Fluorene
Solid	EPA 8270D SIM	GC-MS	Hexachlorobenzene
Solid	EPA 8270D SIM	GC-MS	Indeno[1,2,3-cd] pyrene
Solid	EPA 8270D SIM	GC-MS	Malathion
Solid	EPA 8270D SIM	GC-MS	Methyl Parathion
Solid	EPA 8270D SIM	GC-MS	Naled
Solid	EPA 8270D SIM	GC-MS	Naphthalene
Solid	EPA 8270D SIM	GC-MS	Parathion
Solid	EPA 8270D SIM	GC-MS	Phenanthrene
Solid	EPA 8270D SIM	GC-MS	Phorate
Solid	EPA 8270D SIM	GC-MS	Phosmet
Solid	EPA 8270D SIM	GC-MS	Prothiofos



Certificate of Accreditation: Supplement

Torrent Laboratory, Inc

483 Sinclair Frontage Road, Milpitas, CA 95035
Contact Name: Mukesh Jani Phone: 408-263-5258

Accreditation is granted to the facility to perform the following testing:

Matrix	Standard/Method	Technology	Analyte
Solid	EPA 8270D SIM	GC-MS	Pyrene
Solid	EPA 8270D SIM	GC-MS	Ronnel
Solid	EPA 8270D SIM	GC-MS	Sulfotepp
Solid	EPA 8270D SIM	GC-MS	Sulprofos
Solid	EPA 8270D SIM	GC-MS	Terbufos
Solid	EPA 8270D SIM	GC-MS	Tetrachlorvinphos
Solid	EPA 8270D SIM	GC-MS	Tetraethyl Pyrophosphate (TEPP)
Solid	EPA 8270D SIM	GC-MS	Trichloronate
Solid	EPA 8290 (M)	GCMS-MS	1234678-HpCDD
Solid	EPA 8290 (M)	GCMS-MS	1234678-HpCDF
Solid	EPA 8290 (M)	GCMS-MS	1234789-HpCDF
Solid	EPA 8290 (M)	GCMS-MS	123478-HxCDD
Solid	EPA 8290 (M)	GCMS-MS	123478-HxCDF
Solid	EPA 8290 (M)	GCMS-MS	123678-HxCDD
Solid	EPA 8290 (M)	GCMS-MS	123678-HxCDF
Solid	EPA 8290 (M)	GCMS-MS	123789-HxCDD
Solid	EPA 8290 (M)	GCMS-MS	123789-HxCDF
Solid	EPA 8290 (M)	GCMS-MS	12378-PeCDD
Solid	EPA 8290 (M)	GCMS-MS	12378-PeCDF
Solid	EPA 8290 (M)	GCMS-MS	234678-HxCDF
Solid	EPA 8290 (M)	GCMS-MS	23478-PeCDF
Solid	EPA 8290 (M)	GCMS-MS	2378-TCDD
Solid	EPA 8290 (M)	GCMS-MS	2378-TCDF
Solid	EPA 8290 (M)	GCMS-MS	OCDD
Solid	EPA 8290 (M)	GCMS-MS	OCDF
Solid	EPA 8321B(M)	LC-MS-MS	2,4,5-T
Solid	EPA 8321B(M)	LC-MS-MS	2,4,5-TP
Solid	EPA 8321B(M)	LC-MS-MS	2,4-D
Solid	EPA 8321B(M)	LC-MS-MS	2,4-DB
Solid	EPA 8321B(M)	LC-MS-MS	3,5-DCBA
Solid	EPA 8321B(M)	LC-MS-MS	4-Nitrophenol
Solid	EPA 8321B(M)	LC-MS-MS	Acifluofen
Solid	EPA 8321B(M)	LC-MS-MS	Bentazone
Solid	EPA 8321B(M)	LC-MS-MS	Choramben
Solid	EPA 8321B(M)	LC-MS-MS	Dalapon
Solid	EPA 8321B(M)	LC-MS-MS	Dicamba



Certificate of Accreditation: Supplement

Torrent Laboratory, Inc

483 Sinclair Frontage Road, Milpitas, CA 95035
Contact Name: Mukesh Jani Phone: 408-263-5258

Accreditation is granted to the facility to perform the following testing:

Matrix	Standard/Method	Technology	Analyte
Solid	EPA 8321B(M)	LC-MS-MS	Dichloroprop
Solid	EPA 8321B(M)	LC-MS-MS	Dinoseb
Solid	EPA 8321B(M)	LC-MS-MS	MCPA
Solid	EPA 8321B(M)	LC-MS-MS	MCPP
Solid	EPA 8321B(M)	LC-MS-MS	Pentachlorophenol
Solid	EPA 8330B	HPLC	1,3,5-Trinitrobenzene
Solid	EPA 8330B	HPLC	1,3-Dinitrobenzene
Solid	EPA 8330B	HPLC	2,4,6-Trinitrotoluene
Solid	EPA 8330B	HPLC	2,4-Dinitrotoluene
Solid	EPA 8330B	HPLC	2,6-Dinitrotoluene
Solid	EPA 8330B	HPLC	2-Amino-4,6-Trinitrotoluene
Solid	EPA 8330B	HPLC	2-Nitrotoluene
Solid	EPA 8330B	HPLC	3-Nitrotoluene
Solid	EPA 8330B	HPLC	4-Amino-2,6-Trinitrotoluene
Solid	EPA 8330B	HPLC	4-Nitrotoluene
Solid	EPA 8330B	HPLC	HMX
Solid	EPA 8330B	HPLC	Nitrobenzene
Solid	EPA 8330B	HPLC	Nitroglycerine
Solid	EPA 8330B	HPLC	PETN
Solid	EPA 8330B	HPLC	RDX
Solid	EPA 8330B	HPLC	Tetryl
Solid	EPA 9014	UV/Vis	Total Cyanide
Solid	EPA 9045D	Potentiometric	pH
Solid	EPA 9056A	IC-COND	Bromide
Solid	EPA 9056A	IC-COND	Chloride
Solid	EPA 9056A	IC-COND	Fluoride
Solid	EPA 9056A	IC-COND	Nitrate as N
Solid	EPA 9056A	IC-COND	Nitrite as N
Solid	EPA 9056A	IC-COND	Sulfate
Solid	EPA 9060A	TOC Combustion	Total Organic Carbon (TOC)
Solid	PFAS by LC/MS/MS Compliant with Table B-15 of QSM 5.4 or Latest Version	LC-MS-MS	11Cl-PF3ONS (F-53B Major)
Solid	PFAS by LC/MS/MS Compliant with Table B-15 of QSM 5.4 or Latest Version	LC-MS-MS	2-(N-Ethylperfluorooctanesulfonamido) acetic acid (N-EtFOSAA)



Certificate of Accreditation: Supplement

Torrent Laboratory, Inc

483 Sinclair Frontage Road, Milpitas, CA 95035
Contact Name: Mukesh Jani Phone: 408-263-5258

Accreditation is granted to the facility to perform the following testing:

Matrix	Standard/Method	Technology	Analyte
Solid	PFAS by LC/MS/MS Compliant with Table B-15 of QSM 5.4 or Latest Version	LC-MS-MS	2-(N-Methylperfluorooctanesulfonamido)acetic acid (N-MeFOSSA)
Solid	PFAS by LC/MS/MS Compliant with Table B-15 of QSM 5.4 or Latest Version	LC-MS-MS	4,8-dioxa-3H-perfluorononanoate (ADONA)
Solid	PFAS by LC/MS/MS Compliant with Table B-15 of QSM 5.4 or Latest Version	LC-MS-MS	9CL-PF3ONS (F-53B Minor)
Solid	PFAS by LC/MS/MS Compliant with Table B-15 of QSM 5.4 or Latest Version	LC-MS-MS	Fluorotelomer sulfonic Acid 10:2 (10:2 FTS)
Solid	PFAS by LC/MS/MS Compliant with Table B-15 of QSM 5.4 or Latest Version	LC-MS-MS	Fluorotelomer sulphonic acid 4:2 (4:2 FTS)
Solid	PFAS by LC/MS/MS Compliant with Table B-15 of QSM 5.4 or Latest Version	LC-MS-MS	Fluorotelomer sulphonic acid 6:2 (6:2 FTS)
Solid	PFAS by LC/MS/MS Compliant with Table B-15 of QSM 5.4 or Latest Version	LC-MS-MS	Fluorotelomer sulphonic acid 8:2 (8:2 FTS)
Solid	PFAS by LC/MS/MS Compliant with Table B-15 of QSM 5.4 or Latest Version	LC-MS-MS	HFPO-DA (Gen-X)
Solid	PFAS by LC/MS/MS Compliant with Table B-15 of QSM 5.4 or Latest Version	LC-MS-MS	N-Methylperfluorooctane sulfonamidoacetic acid (N-MFOSSA-M)
Solid	PFAS by LC/MS/MS Compliant with Table B-15 of QSM 5.4 or Latest Version	LC-MS-MS	Nonafluoro-3,6-dioxaheptanoic acid (N-EtFOSSA-M)
Solid	PFAS by LC/MS/MS Compliant with Table B-15 of QSM 5.4 or Latest Version	LC-MS-MS	Perfluoro(2-ethoxyethane) sulfonic acid (PFEESA)
Solid	PFAS by LC/MS/MS Compliant with Table B-15 of QSM 5.4 or Latest Version	LC-MS-MS	Perfluoro-1-octanesulfonamide (FOSSA)
Solid	PFAS by LC/MS/MS Compliant with Table B-15 of QSM 5.4 or Latest Version	LC-MS-MS	Perfluoro-3-methoxypropanoic acid (PFMOPrA)
Solid	PFAS by LC/MS/MS Compliant with Table B-15 of QSM 5.4 or Latest Version	LC-MS-MS	Perfluoro-4-methoxybutanoic acid (PFMOBA)
Solid	PFAS by LC/MS/MS Compliant with Table B-15 of QSM 5.4 or Latest Version	LC-MS-MS	Perfluorobutanesulfonamide (PFBSA)



Certificate of Accreditation: Supplement

Torrent Laboratory, Inc

483 Sinclair Frontage Road, Milpitas, CA 95035
Contact Name: Mukesh Jani Phone: 408-263-5258

Accreditation is granted to the facility to perform the following testing:

Matrix	Standard/Method	Technology	Analyte
Solid	PFAS by LC/MS/MS Compliant with Table B-15 of QSM 5.4 or Latest Version	LC-MS-MS	Perfluorobutanesulfonic acid (PFBS)
Solid	PFAS by LC/MS/MS Compliant with Table B-15 of QSM 5.4 or Latest Version	LC-MS-MS	Perfluorodecanesulfonic acid (PFDS)
Solid	PFAS by LC/MS/MS Compliant with Table B-15 of QSM 5.4 or Latest Version	LC-MS-MS	Perfluorohexadecanoic acid (PFHxDA)
Solid	PFAS by LC/MS/MS Compliant with Table B-15 of QSM 5.4 or Latest Version	LC-MS-MS	Perfluorohexanesulfonamide (PFHXSA)
Solid	PFAS by LC/MS/MS Compliant with Table B-15 of QSM 5.4 or Latest Version	LC-MS-MS	Perfluorohexanesulfonic acid (PFHxS)
Solid	PFAS by LC/MS/MS Compliant with Table B-15 of QSM 5.4 or Latest Version	LC-MS-MS	Perfluoro-n-butanoic acid (PFBA)
Solid	PFAS by LC/MS/MS Compliant with Table B-15 of QSM 5.4 or Latest Version	LC-MS-MS	Perfluoro-n-decanoic acid (PFDA)
Solid	PFAS by LC/MS/MS Compliant with Table B-15 of QSM 5.4 or Latest Version	LC-MS-MS	Perfluoro-n-dodecanoic acid (PFDoA)
Solid	PFAS by LC/MS/MS Compliant with Table B-15 of QSM 5.4 or Latest Version	LC-MS-MS	Perfluoro-n-heptanoic acid (PFHpA)
Solid	PFAS by LC/MS/MS Compliant with Table B-15 of QSM 5.4 or Latest Version	LC-MS-MS	Perfluoro-n-hexanoic acid (PFHxA)
Solid	PFAS by LC/MS/MS Compliant with Table B-15 of QSM 5.4 or Latest Version	LC-MS-MS	Perfluoro-n-nonanoic acid (PFNA)
Solid	PFAS by LC/MS/MS Compliant with Table B-15 of QSM 5.4 or Latest Version	LC-MS-MS	Perfluoro-n-octanoic acid (PFOA)
Solid	PFAS by LC/MS/MS Compliant with Table B-15 of QSM 5.4 or Latest Version	LC-MS-MS	Perfluorononanesulfonic acid (PFNS)
Solid	PFAS by LC/MS/MS Compliant with Table B-15 of QSM 5.4 or Latest Version	LC-MS-MS	Perfluoro-n-pentanoic acid (PFPeA)
Solid	PFAS by LC/MS/MS Compliant with Table B-15 of QSM 5.4 or Latest Version	LC-MS-MS	Perfluoro-n-tetradecanoic acid (PFTeDA)



Certificate of Accreditation: Supplement

Torrent Laboratory, Inc

483 Sinclair Frontage Road, Milpitas, CA 95035
Contact Name: Mukesh Jani Phone: 408-263-5258

Accreditation is granted to the facility to perform the following testing:

Matrix	Standard/Method	Technology	Analyte
Solid	PFAS by LC/MS/MS Compliant with Table B-15 of QSM 5.4 or Latest Version	LC-MS-MS	Perfluoro-n-tridecanoic acid (PFTrDA)
Solid	PFAS by LC/MS/MS Compliant with Table B-15 of QSM 5.4 or Latest Version	LC-MS-MS	Perfluoro-n-undecanoic acid (PFUDA)
Solid	PFAS by LC/MS/MS Compliant with Table B-15 of QSM 5.4 or Latest Version	LC-MS-MS	Perfluorooctadecanoic acid (PFODA)
Solid	PFAS by LC/MS/MS Compliant with Table B-15 of QSM 5.4 or Latest Version	LC-MS-MS	Perfluoropentanesulfonic acid (PFPeS)
Solid	PFAS by LC/MS/MS Compliant with Table B-15 of QSM 5.4 or Latest Version	LC-MS-MS	Potassium perfluorooctanesulfonate (PFOS)
Solid	PFAS by LC/MS/MS Compliant with Table B-15 of QSM 5.4 or Latest Version	LC-MS-MS	sodium perfluoro-1-heptanesulfonate (PFHpS)
Solid	SM 2540G	Gravimetric	Moisture Content
Solid	SM 4500-NH3-D	Potentiometric	Ammonia as N



Certificate of Accreditation: Supplement

Torrent Laboratory, Inc

483 Sinclair Frontage Road, Milpitas, CA 95035
Contact Name: Mukesh Jani Phone: 408-263-5258

Accreditation is granted to the facility to perform the following testing:

Matrix	Standard/Method	Technology	Analyte
Aqueous	EPA 3010A	Metals Water- ICP	Hot Block Digestion
Aqueous	SM 4500-CN B	CN Water- Distillation	Midi-Distillation
Aqueous	SW 9010C	CN Water - Distillation	Midi-Distillation
Aqueous	EPA 3510	Semivolatile Organic Analysis Water Prep	Separatory Funnel/Evap
Aqueous	EPA 5030	VOC Water Prep	Purge and Trap
Solid	EPA 3050B	Metals Prep-ICP	Hot Block Digestion
Solid	EPA 3546	Semivolatile Organic Analysis Soil Prep	Semivolatile Organic Analysis Microwave Extraction/Evap
Solid	EPA 5035	Volatile Organic Analysis Soil Prep	Methanol Extraction/Purge and Trap
Solid	EPA 1311	TCLP Metals/SVO Ext	Fluid Determination and Extraction Procedures
Solid	EPA 1312	SPLP Metals/Semivolatile Organic Analysis Ext	Extraction Procedures
Solid	EPA 8330B	Explosives Prep	Nitroaromatics/amines/nitrate esters prep
Solid	EPA 9010	Total Cyanide	Distillation of Soil
Solid	2016 HEER Guidance	Multi Incremental Sampling - HI	Large Mass Mixing, Drying, Grinding, Sieving
Solid	QSM V5.4 Table B-23	ISM Sample Prep	Large Mass Samples
Solid	TORR SOP Micro-9170	Bio Accessible Metals	Preparation of In-vitro Bio Accessible Assay
Solid	EPA 7199 (M)	Soil Extraction	Preparation of Hexavalent Chromium in Soil
Solid	TORR SOP IOMe2378	Multi Incremental Sampling	Bio-accessible Arsenic and Lead Preparation from TORR SOP Micro-9170